

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU121020\
 Data File : VU041561.D
 Acq On : 11 Dec 2020 01:53
 Operator : SY/MD
 Sample : L5027-01
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 36 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 GB1H2

Quant Time: Dec 11 08:05:48 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR120420WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Dec 11 07:33:47 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	43094	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	36181	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	18645	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	9372	4.24	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	84.80%
7) Chloroethane-d5	1.92	69	9147	4.71	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	94.20%
11) 1,1-Dichloroethene-d2	2.58	63	16843	3.14	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	62.80%
20) 2-Butanone-d5	4.66	46	25478	30.70	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	61.40%
24) Chloroform-d	5.08	84	25193	4.12	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	82.40%
26) 1,2-Dichloroethane-d4	5.72	65	19567	4.77	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	95.40%
32) Benzene-d6	5.74	84	45065	5.59	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	111.80%
36) 1,2-Dichloropropane-d6	6.70	67	11558	4.90	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	98.00%
41) Toluene-d8	7.91	98	36457	4.62	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	92.40%
43) trans-1,3-Dichloropropene-	8.19	79	5924	4.24	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	84.80%
46) 2-Hexanone-d5	8.64	63	18659	32.11	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	64.22%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	9498	3.65	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	73.00%
64) 1,2-Dichlorobenzene-d4	12.19	152	16823	5.28	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	105.60%

Target Compounds					Ovalue
9) Trichlorofluoromethane	2.15	101	667	0.102 ug/L	86

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU121020\
Data File : VU041561.D
Acq On : 11 Dec 2020 01:53
Operator : SY/MD
Sample : L5027-01
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 36 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
GB1H2

Quant Time: Dec 11 08:05:48 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR120420WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Dec 11 07:33:47 2020
Response via : Initial Calibration

