

Quantitation Report (QT Reviewed)


Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU121020\
 Data File : VU041543.D
 Acq On : 10 Dec 2020 18:12
 Operator : SY/MD
 Sample : L5023-03
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AT9

Quant Time: Dec 11 07:06:23 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR120420WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Dec 11 06:06:19 2020
 Response via : Initial Calibration

Manual Integrations
 APPROVED

MMDadoda
 12/12/2020 12:57:19 PM



Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU121020\
 Data File : VU041543.D
 Acq On : 10 Dec 2020 18:12
 Operator : SY/MD
 Sample : L5023-03
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AT9

Quant Time: Dec 11 06:09:04 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR120420WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Dec 11 06:06:19 2020
 Response via : Initial Calibration

Manual Integrations
 APPROVED

MMDadoda
 12/12/2020 12:57:19 PM



(13) Acetone (T)

2.665min (+0.003) 1.95ug/L

response 1033

Ion	Exp%	Act%
43.05	100	100
58.05	25.00	27.20
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU121020\
 Data File : VU041543.D
 Acq On : 10 Dec 2020 18:12
 Operator : SY/MD
 Sample : L5023-03
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AT9

Quant Time: Dec 11 06:09:04 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR120420WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Dec 11 06:06:19 2020
 Response via : Initial Calibration

Manual Integrations
 APPROVED

MMDadoda
 12/12/2020 12:57:19 PM



(13) Acetone (T)

2.665min (+0.003) 3.31ug/L m } M.D.
 12/12/20

response 1747

Ion	Exp%	Act%
43.05	100	100
58.05	25.00	16.08
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (QT Reviewed)

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU121020\
 Data File : VU041543.D
 Acq On : 10 Dec 2020 18:12
 Operator : SY/MD
 Sample : L5023-03
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AT9

Quant Time: Dec 11 07:06:23 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR120420WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Dec 11 06:06:19 2020
 Response via : Initial Calibration

Manual Integrations
 APPROVED

MMDadoda
 12/12/2020 12:57:19 PM

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	35251	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	35847	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	17819	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	7267	4.02	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	80.40%
7) Chloroethane-d5	1.92	69	8472	5.33	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	106.60%
11) 1,1-Dichloroethene-d2	2.58	63	15283	3.49	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	69.80%
20) 2-Butanone-d5	4.66	46	35389	52.12	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	104.24%
24) Chloroform-d	5.08	84	28984	5.79	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	115.80%
26) 1,2-Dichloroethane-d4	5.72	65	19908	5.93	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	118.60%
32) Benzene-d6	5.74	84	41465	5.19	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	103.80%
36) 1,2-Dichloropropane-d6	6.70	67	9603	4.11	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	82.20%
41) Toluene-d8	7.91	98	32931	4.21	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	84.20%
43) trans-1,3-Dichloropropene-	8.19	79	6690	4.83	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	96.60%
46) 2-Hexanone-d5	8.64	63	23654	41.08	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	82.16%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	11020	4.28	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	85.60%
64) 1,2-Dichlorobenzene-d4	12.19	152	17755	5.83	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	116.60%

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
13) Acetone	2.66	43	1747m	3.305	ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

m D
 12/12/20