

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU121020\
 Data File : VU041539.D
 Acq On : 10 Dec 2020 16:16
 Operator : SY/MD
 Sample : L4995-16
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AT0

Quant Time: Dec 11 06:53:32 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR120420WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Dec 11 06:06:19 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	36186	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	36663	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	18731	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	6859	3.69	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	73.80%
7) Chloroethane-d5	1.92	69	7658	4.70	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	94.00%
11) 1,1-Dichloroethene-d2	2.58	63	14835	3.30	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	66.00%
20) 2-Butanone-d5	4.66	46	31806	45.64	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	91.28%
24) Chloroform-d	5.08	84	26315	5.12	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	102.40%
26) 1,2-Dichloroethane-d4	5.72	65	18814	5.46	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	109.20%
32) Benzene-d6	5.74	84	36632	4.48	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	89.60%
36) 1,2-Dichloropropane-d6	6.70	67	9813	4.11	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	82.20%
41) Toluene-d8	7.91	98	33819	4.23	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	84.60%
43) trans-1,3-Dichloropropene-	8.19	79	6554	4.63	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	92.60%
46) 2-Hexanone-d5	8.64	63	22993	39.05	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	78.10%
57) 1,1,2,2-Tetrachloroethane-	10.76	84	10714	4.07	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	81.40%
64) 1,2-Dichlorobenzene-d4	12.19	152	17605	5.50	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	110.00%


Target Compounds					Ovalue
31) Carbon tetrachloride	5.54	117	2993	0.615 ug/L	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU121020\
Data File : VU041539.D
Acq On : 10 Dec 2020 16:16
Operator : SY/MD
Sample : L4995-16
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AT0

Quant Time: Dec 11 06:53:32 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR120420WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Dec 11 06:06:19 2020
Response via : Initial Calibration





#31

Carbon tetrachloride

Concen: 0.615 ug/L

RT: 5.54 min Scan# 1306

Delta R.T. 0.00 min

Lab File: VU041539.D

Acq: 10 Dec 2020 16:16

Instrument :

MSVOA_U

ClientSampleId :


C0AT0

Tot Ion:117 Resp: 2993

Ion Ratio Lower Upper

117 100

119 87.0 77.2 115.8



Abundance Ion 116.90 (116.60 to 117.60): V

Ion 118.90 (118.60 to 119.60): V

