

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU121020\
 Data File : VU041547.D
 Acq On : 10 Dec 2020 19:45
 Operator : SY/MD
 Sample : L5023-07
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AW3

Quant Time: Dec 11 07:18:37 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR120420WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Dec 11 06:06:19 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	34681	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	36086	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	18842	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	6687	3.76	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	75.20%
7) Chloroethane-d5	1.92	69	8051	5.15	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	103.00%
11) 1,1-Dichloroethene-d2	2.58	63	15609	3.62	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	72.40%
20) 2-Butanone-d5	4.66	46	24110	36.09	ug/L	0.01
Spiked Amount	50.000	Range	40 - 130	Recovery	=	72.18%
24) Chloroform-d	5.08	84	27830	5.65	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	113.00%
26) 1,2-Dichloroethane-d4	5.72	65	18301	5.54	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	110.80%
32) Benzene-d6	5.74	84	35425	4.41	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	88.20%
36) 1,2-Dichloropropane-d6	6.70	67	9777	4.16	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	83.20%
41) Toluene-d8	7.91	98	39296	4.99	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	99.80%
43) trans-1,3-Dichloropropene-	8.19	79	7000	5.02	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	100.40%
46) 2-Hexanone-d5	8.64	63	23344	40.28	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	80.56%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	10698	4.13	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	82.60%
64) 1,2-Dichlorobenzene-d4	12.19	152	17059	5.29	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	105.80%


Target Compounds					Ovalue
25) Chloroform	5.11	83	1811	0.375 ug/L	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU121020\
Data File : VU041547.D
Acq On : 10 Dec 2020 19:45
Operator : SY/MD
Sample : L5023-07
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AW3

Quant Time: Dec 11 07:18:37 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR120420WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Dec 11 06:06:19 2020
Response via : Initial Calibration





#25
 Chloroform
 Concen: 0.375 ug/L
 RT: 5.11 min Scan# 1171
 Delta R.T. 0.00 min
 Lab File: VU041547.D
 Acq: 10 Dec 2020 19:45

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AW3

Tot Ion: 83 Resp: 1811
 Ion Ratio Lower Upper
 83 100
 85 72.0 44.7 82.9

