

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU121020\
 Data File : VU041568.D
 Acq On : 11 Dec 2020 04:35
 Operator : SY/MD
 Sample : L5027-09
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 43 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 GB1J0

Quant Time: Dec 11 08:25:18 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR120420WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Dec 11 07:33:47 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	34926	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	43181	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	21845	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	9458	5.28	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	105.60%
7) Chloroethane-d5	1.92	69	9012	5.73	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	114.60%
11) 1,1-Dichloroethene-d2	2.58	63	16804	3.87	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	77.40%
20) 2-Butanone-d5	4.66	46	26378	39.21	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	78.42%
24) Chloroform-d	5.08	84	25398	5.12	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	102.40%
26) 1,2-Dichloroethane-d4	5.72	65	17828	5.36	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	107.20%
32) Benzene-d6	5.75	84	37764	3.92	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	78.40%
36) 1,2-Dichloropropane-d6	6.70	67	9219	3.28	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	65.60%
41) Toluene-d8	7.91	98	44237	4.69	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	93.80%
43) trans-1,3-Dichloropropene-	8.19	79	7296	4.38	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	87.60%
46) 2-Hexanone-d5	8.64	63	23978	34.57	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	69.14%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	12115	3.91	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	78.20%
64) 1,2-Dichlorobenzene-d4	12.19	152	20634	5.52	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	110.40%


Target Compounds					Ovalue
47) Tetrachloroethene	8.56	164	8239	3.234 ug/L	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU121020\
Data File : VU041568.D
Acq On : 11 Dec 2020 04:35
Operator : SY/MD
Sample : L5027-09
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 43 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
GB1J0

Quant Time: Dec 11 08:25:18 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR120420WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Dec 11 07:33:47 2020
Response via : Initial Calibration





#47

Tetrachloroethene

Concen: 3.234 ug/L

RT: 8.56 min Scan# 2245

Delta R.T. 0.00 min

Lab File: VU041568.D


Acq: 11 Dec 2020 04:35

Instrument :

MSVOA_U

ClientSampleId :

GB1J0



Tot Ion:164 Resp: 8239

Ion Ratio Lower Upper

164 100

129 98.4 67.1 124.7

131 103.3 63.3 117.7


166 142.1 88.8 164.8

Abundance Ion 163.90 (163.60 to 164.60): V

Ion 128.95 (128.65 to 129.65): V

Ion 130.95 (130.65 to 131.65): V

Ion 165.90 (165.60 to 166.60): V



Time-->

