

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU121118\
 Data File : VU028587.D
 Acq On : 11 Dec 2018 06:29
 Operator : MD/SY
 Sample : J6335-14
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 44 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BP-TT-AOC22-MW07-20181208

Quant Time: Dec 11 08:25:18 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U120618W.M
 Quant Title : SW846 8260
 QLast Update : Fri Dec 07 00:39:42 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	4.98	168	83281	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	5.89	114	152086	50.00	ug/l	0.00
63) Chlorobenzene-d5	9.09	117	136648	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	11.48	152	53675	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	5.31	65	71239	56.05	ug/l	0.00
Spiked Amount				50.000		
			Recovery	=	112.10%	
35) Dibromofluoromethane	4.88	113	51897	54.22	ug/l	0.00
Spiked Amount				50.000		
			Recovery	=	108.44%	
50) Toluene-d8	7.57	98	198634	52.46	ug/l	0.00
Spiked Amount				50.000		
			Recovery	=	104.92%	
62) 4-Bromofluorobenzene	10.31	95	64981	45.92	ug/l	0.00
Spiked Amount				50.000		
			Recovery	=	91.84%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU121118\
Data File : VU028587.D
Acq On : 11 Dec 2018 06:29
Operator : MD/SY
Sample : J6335-14
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 44 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BP-TT-AOC22-MW07-20181208

Quant Time: Dec 11 08:25:18 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\82U120618W.M
Quant Title : SW846 8260
QLast Update : Fri Dec 07 00:39:42 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 4.98 min Scan# 1185

Delta R.T. -0.00 min

Lab File: VU028587.D

Acq: 11 Dec 2018 06:29

Instrument :

MSVOA_U

ClientSampleId :


BP-TT-AOC22-MW07-20181208

Tot Ion:168 Resp: 83281

Ion Ratio Lower Upper

168 100

99 59.4 46.6 69.8



Abundance Ion 167.90 (167.60 to 168.60): VU028495.D (-1168) (-)

Ion 98.90 (98.60 to 99.60): VU028495.D (-1168) (-)

4.98

40000

30000



20000

10000

0

4.90 5.00 5.10

Time-->



#33

1,2-Dichloroethane-d4

Concen: 56.053 ug/l

RT: 5.31 min Scan# 1286

Delta R.T. -0.00 min

Lab File: VU028587.D


Acq: 11 Dec 2018 06:29

Tgt Ion: 65 Resp: 71239

Ion Ratio Lower Upper

65 100

67 53.7 0.0 110.6



Abundance Ion 64.90 (64.60 to 65.60): VU028495.D (-1271) (-)

Ion 66.90 (66.60 to 67.60): VU028495.D (-1271) (-)

5.31

40000

30000


20000


10000

0

5.20 5.30 5.40

Time-->









#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 5.89 min Scan# 1466
Delta R.T. 0.00 min
Lab File: VU028587.D
Acq: 11 Dec 2018 06:29

Instrument :
MSVOA_U
ClientSampleId :
BP-TT-AOC22-MW07-20181208

Tot Ion:114 Resp: 152086
Ion Ratio Lower Upper
114 100
63 24.9 0.0 49.2
88 16.1 0.0 33.4




Abundance Ion 113.90 (113.60 to 114.60): V
Ion 63.00 (62.70 to 63.70): VU0
Ion 87.90 (87.60 to 88.60): VU0






#35
Dibromofluoromethane
Concen: 54.224 ug/l
RT: 4.88 min Scan# 1154
Delta R.T. -0.00 min
Lab File: VU028587.D
Acq: 11 Dec 2018 06:29

Tgt Ion:113 Resp: 51897
Ion Ratio Lower Upper
113 100
111 102.6 83.4 125.0
192 18.5 14.8 22.2



Abundance Ion 112.80 (112.50 to 113.50): V
Ion 110.80 (110.50 to 111.50): V
Ion 191.70 (191.40 to 192.40): V









#50
Toluene-d8
Concen: 52.464 ug/l
RT: 7.57 min Scan# 1988
Delta R.T. -0.00 min
Lab File: VU028587.D
Acq: 11 Dec 2018 06:29

Instrument :
MSVOA_U
ClientSampleId :
BP-TT-AOC22-MW07-20181208

Tot Ion: 98 Resp: 198634
Ion Ratio Lower Upper
98 100
100 63.7 51.0 76.6




Abundance Ion 98.00 (97.70 to 98.70): VU0
Ion 100.00 (99.70 to 100.70): VU






#62
4-Bromofluorobenzene
Concen: 45.920 ug/l
RT: 10.31 min Scan# 2841
Delta R.T. 0.00 min
Lab File: VU028587.D
Acq: 11 Dec 2018 06:29

Tgt Ion: 95 Resp: 64981
Ion Ratio Lower Upper
95 100
174 75.0 0.0 150.4
176 72.1 0.0 145.2



Abundance Ion 94.90 (94.60 to 95.60): VU0
Ion 173.80 (173.50 to 174.50): V
Ion 175.80 (175.50 to 176.50): V









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 9.09 min Scan# 2462
Delta R.T. -0.00 min
Lab File: VU028587.D
Acq: 11 Dec 2018 06:29

Instrument :
MSVOA_U
ClientSampleId :
BP-TT-AOC22-MW07-20181208

Tot Ion:117 Resp: 136648
Ion Ratio Lower Upper
117 100
82 62.0 48.9 73.3
119 32.1 26.2 39.4




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VU0
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 11.48 min Scan# 3206
Delta R.T. -0.00 min
Lab File: VU028587.D
Acq: 11 Dec 2018 06:29

Tgt Ion:152 Resp: 53675
Ion Ratio Lower Upper
152 100
115 61.1 42.7 128.1
150 158.1 0.0 346.0



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

