

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU121123\
 Data File : VU056756.D
 Acq On : 12 Dec 2023 01:22
 Operator : MD/SY
 Sample : 05675-03
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 H0AA4

Quant Time: Dec 12 05:03:17 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR121123WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Tue Dec 12 02:01:50 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	249394	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.415	117	252190	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	107441	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	103355	4.835	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	96.600%	
7) Chloroethane-d5	1.908	69	72638	4.541	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	90.800%	
11) 1,1-Dichloroethene-d2	2.563	65	45312	4.954	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	99.000%	
20) 2-Butanone-d5	4.621	46	227660	53.926	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	107.860%	
24) Chloroform-d	5.055	84	208575	5.152	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	103.000%	
26) 1,2-Dichloroethane-d4	5.695	65	103000	5.377	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	107.600%	
32) Benzene-d6	5.721	84	401567	5.134	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	102.600%	
36) 1,2-Dichloropropane-d6	6.685	67	125620	5.131	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	102.600%	
41) Toluene-d8	7.894	98	335151	4.794	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	95.800%	
43) trans-1,3-Dichloroprop...	8.177	79	45652	4.808	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	96.200%	
46) 2-Hexanone-d5	8.631	63	179107	50.016	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	100.040%	
56) 1,1,2,2-Tetrachloroeth...	10.750	84	91608	5.171	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	103.400%	
66) 1,2-Dichlorobenzene-d4	12.187	152	114749	5.433	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	108.600%	
Target Compounds						Qvalue
47) Tetrachloroethene	8.550	164	10586	0.622	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU121123\
Data File : VU056756.D
Acq On : 12 Dec 2023 01:22
Operator : MD/SY
Sample : 05675-03
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 39 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
H0AA4

Quant Time: Dec 12 05:03:17 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR121123WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Tue Dec 12 02:01:50 2023
Response via : Initial Calibration

