

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU121219\
 Data File : VU036175.D
 Acq On : 13 Dec 2019 02:03
 Operator : JC/MD
 Sample : K6273-18
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFDR5

Quant Time: Dec 13 04:21:30 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121219WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Dec 13 02:41:23 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	252506	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	282536	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.84	152	90299	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.62	65	124224	4.85	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	97.00%
7) Chloroethane-d5	1.93	69	117895	5.24	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	104.80%
11) 1,1-Dichloroethene-d2	2.59	63	132111	3.91	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	78.20%
20) 2-Butanone-d5	4.68	46	212291	51.64	ug/L	-0.01
Spiked Amount	50.000	Range	40 - 130	Recovery	=	103.28%
24) Chloroform-d	5.11	84	164313	4.42	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	88.40%
26) 1,2-Dichloroethane-d4	5.75	65	103875	5.51	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	110.20%
32) Benzene-d6	5.77	84	372702	4.94	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	98.80%
36) 1,2-Dichloropropane-d6	6.73	67	122890	5.23	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	104.60%
41) Toluene-d8	7.93	98	300623	4.31	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	86.20%
43) trans-1,3-Dichloropropene-	8.21	79	41132	4.19	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	83.80%
46) 2-Hexanone-d5	8.68	63	156327	43.28	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	86.56%
57) 1,1,2,2-Tetrachloroethane-	10.78	84	106028	5.06	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	101.20%
64) 1,2-Dichlorobenzene-d4	12.22	152	98244	5.73	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	114.60%


Target Compounds					Ovalue
25) Chloroform	5.13	83	34384	0.896 ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU121219\
Data File : VU036175.D
Acq On : 13 Dec 2019 02:03
Operator : JC/MD
Sample : K6273-18
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 31 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BFDR5

Quant Time: Dec 13 04:21:30 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121219WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Dec 13 02:41:23 2019
Response via : Initial Calibration





#25
 Chloroform
 Concen: 0.896 ug/L
 RT: 5.13 min Scan# 1180
 Delta R.T. -0.00 min
 Lab File: VU036175.D
 Acq: 13 Dec 2019 02:03

Instrument :
 MSVOA_U
 ClientSampleId :
 BFDR5

Tot Ion: 83 Resp: 34384
 Ion Ratio Lower Upper
 83 100
 85 63.9 44.2 82.0

