


Data Path : Z:\voasrv\HPCHEM1\MSVOA U\Data\VU121220\
Data File : VU041584.D
Acq On : 12 Dec 2020 22:30
Operator : SY/MD
Sample : L5060-01
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampled :
C0AZ8

Manual Integrations
APPROVED

MMDadoda
12/14/2020 3:43:24 PM

Quant Time: Dec 13 11:51:39 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sun Dec 13 11:26:38 2020
Response via : Initial Calibration



Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU121220\
 Data File : VU041584.D
 Acq On : 12 Dec 2020 22:30
 Operator : SY/MD
 Sample : L5060-01
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AZ8

Manual Integrations
 APPROVED

MMDadoda
 12/14/2020 3:43:24 PM

Quant Time: Dec 13 11:28:27 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sun Dec 13 11:26:38 2020
 Response via : Initial Calibration



TIC: VU041584.D

(13) Acetone (T)

2.662min (-0.003) 0.65ug/L

response 1215

Ion	Exp%	Act%
43.05	100	100
58.05	36.60	23.05
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU121220\
 Data File : VU041584.D
 Acq On : 12 Dec 2020 22:30
 Operator : SY/MD
 Sample : L5060-01
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AZ8

Manual Integrations
 APPROVED

MMDadoda
 12/14/2020 3:43:24 PM

Quant Time: Dec 13 11:28:27 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sun Dec 13 11:26:38 2020
 Response via : Initial Calibration



TIC: VU041584.D

(13) Acetone (T)

2.662min (-0.003) 1.92ug/L m

response 3588

Ion Exp% Act%

43.05	100	100
58.05	36.60	7.80
0.00	0.00	0.00
0.00	0.00	0.00

7ME
12/14/20

Data Path : Z:\voasrv\HPCHEM1\MSVOA U\Data\VU121220\
 Data File : VU041584.D
 Acq On : 12 Dec 2020 22:30
 Operator : SY/MD
 Sample : L5060-01
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AZ8

Manual Integrations
 APPROVED

MMDadoda
 12/14/2020 3:43:24 PM

Quant Time: Dec 13 11:51:39 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sun Dec 13 11:26:38 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
1) 1,4-Difluorobenzene	6.26	114	130787	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	134066	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	62717	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	35646	3.49	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	69.80%
7) Chloroethane-d5	1.92	69	34251	4.33	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	86.60%
11) 1,1-Dichloroethene-d2	2.58	63	59827	3.18	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	63.60%
20) 2-Butanone-d5	4.66	46	170950	58.20	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	116.40%
24) Chloroform-d	5.08	84	83628	4.77	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	95.40%
26) 1,2-Dichloroethane-d4	5.72	65	47984	4.83	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	96.60%
32) Benzene-d6	5.74	84	170674	4.45	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	89.00%
36) 1,2-Dichloropropane-d6	6.70	67	55734	4.63	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	92.60%
41) Toluene-d8	7.91	98	148246	4.28	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	85.60%
43) trans-1,3-Dichloropropene-	8.19	79	22895	4.23	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	84.60%
46) 2-Hexanone-d5	8.64	63	132928	44.93	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	89.86%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	54115	4.95	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	99.00%
64) 1,2-Dichlorobenzene-d4	12.19	152	57037	5.11	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	102.20%

Target Compounds

Target Compounds				Ovalue	
13) Acetone	2.66	43	3588m	1.921	ug/L
25) Chloroform	5.11	83	6446	0.373	ug/L
34) Trichloroethene	6.56	95	20195	1.874	ug/L

7.110
 12/14/20

(#) = qualifier out of range (m) = manual integration (+) = signals summed