


Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU121220\
Data File : VU041591.D
Acq On : 13 Dec 2020 01:12
Operator : SY/MD
Sample : L5060-08
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0B13

Manual Integrations
APPROVED

MMDadoda
12/14/2020 3:43:43 PM

Quant Time: Dec 13 12:17:50 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sun Dec 13 11:26:38 2020
Response via : Initial Calibration



Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU121220\
Data File : VU041591.D
Acq On : 13 Dec 2020 01:12
Operator : SY/MD
Sample : L5060-08
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0B13

Manual Integrations
APPROVED

MMDadoda
12/14/2020 3:43:43 PM

Quant Time: Dec 13 11:30:06 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sun Dec 13 11:26:38 2020
Response via : Initial Calibration



TIC: VU041591.D

(13) Acetone (T)

2.665min (+0.000) 1.46ug/L

response 2758

Ion	Exp%	Act%
43.05	100	100
58.05	36.60	28.86
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU121220\
 Data File : VU041591.D
 Acq On : 13 Dec 2020 01:12
 Operator : SY/MD
 Sample : L5060-08
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0B13

Manual Integrations
 APPROVED

MMDadoda
 12/14/2020 3:43:43 PM

Quant Time: Dec 13 11:30:06 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sun Dec 13 11:26:38 2020
 Response via : Initial Calibration



TIC: VU041591.D

(13) Acetone (T)

2.665min (+0.000) 1.77ug/L m

response 3339

Ion	Exp%	Act%
43.05	100	100
58.05	36.60	23.84
0.00	0.00	0.00
0.00	0.00	0.00

7 MD
12/14/20

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU121220\
 Data File : VU041591.D
 Acq On : 13 Dec 2020 01:12
 Operator : SY/MD
 Sample : L5060-08
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0B13

Manual Integrations
 APPROVED

MMDadoda
 12/14/2020 3:43:43 PM

Quant Time: Dec 13 12:17:50 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sun Dec 13 11:26:38 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	131963	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	130537	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	62438	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	33356	3.23	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	64.60%
7) Chloroethane-d5	1.92	69	32721	4.10	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	82.00%
11) 1,1-Dichloroethene-d2	2.58	63	55239	2.91	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	58.20%#
20) 2-Butanone-d5	4.65	46	147544	49.79	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	99.58%
24) Chloroform-d	5.08	84	81901	4.63	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	92.60%
26) 1,2-Dichloroethane-d4	5.72	65	48627	4.85	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	97.00%
32) Benzene-d6	5.74	84	161994	4.33	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	86.60%
36) 1,2-Dichloropropane-d6	6.70	67	53936	4.60	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	92.00%
41) Toluene-d8	7.91	98	144563	4.28	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	85.60%
43) trans-1,3-Dichloropropene-	8.19	79	21819	4.14	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	82.80%
46) 2-Hexanone-d5	8.64	63	122896	42.66	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	85.32%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	50855	4.78	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	95.60%
64) 1,2-Dichlorobenzene-d4	12.19	152	57764	5.20	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	104.00%

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
13) Acetone	2.66	43	3339m	1.771	ug/L	7m

12/14/20

(#) = qualifier out of range (m) = manual integration (+) = signals summed