


Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU121220\
Data File : VU041592.D
Acq On : 13 Dec 2020 01:35
Operator : SY/MD
Sample : L5060-09
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0B14

Manual Integrations
APPROVED

MMDadoda
12/14/2020 3:43:48 PM

Quant Time: Dec 13 12:20:54 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sun Dec 13 11:26:38 2020
Response via : Initial Calibration



Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU121220\
 Data File : VU041592.D
 Acq On : 13 Dec 2020 01:35
 Operator : SY/MD
 Sample : L5060-09
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0B14

Manual Integrations
 APPROVED

MMDadoda
 12/14/2020 3:43:48 PM

Quant Time: Dec 13 11:30:26 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sun Dec 13 11:26:38 2020
 Response via : Initial Calibration



TIC: VU041592.D

(13) Acetone (T)

2.658min (-0.006) 1.09ug/L

response 1998

Ion	Exp%	Act%
43.05	100	100
58.05	36.60	17.92
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU121220\
 Data File : VU041592.D
 Acq On : 13 Dec 2020 01:35
 Operator : SY/MD
 Sample : L5060-09
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0B14

Manual Integrations
 APPROVED

MMDadoda
 12/14/2020 3:43:48 PM

Quant Time: Dec 13 11:30:26 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sun Dec 13 11:26:38 2020
 Response via : Initial Calibration



(13) Acetone (T)

2.658min (-0.006) 1.63ug/L m

response 2990

Ion	Exp%	Act%
43.05	100	100
58.05	36.60	11.97
0.00	0.00	0.00
0.00	0.00	0.00

7 MD
 12/14/20

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU121220\
 Data File : VU041592.D
 Acq On : 13 Dec 2020 01:35
 Operator : SY/MD
 Sample : L5060-09
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0B14

Manual Integrations
 APPROVED

MMDadoda
 12/14/2020 3:43:48 PM

Quant Time: Dec 13 12:20:54 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sun Dec 13 11:26:38 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	128230	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	125042	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	59712	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	34930	3.48	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	69.60%
7) Chloroethane-d5	1.92	69	33266	4.29	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	85.80%
11) 1,1-Dichloroethene-d2	2.58	63	54175	2.93	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	58.60%#
20) 2-Butanone-d5	4.66	46	154728	53.73	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	107.46%
24) Chloroform-d	5.08	84	80864	4.71	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.20%
26) 1,2-Dichloroethane-d4	5.72	65	49069	5.04	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	100.80%
32) Benzene-d6	5.75	84	159007	4.44	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	88.80%
36) 1,2-Dichloropropane-d6	6.70	67	53024	4.72	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	94.40%
41) Toluene-d8	7.91	98	139247	4.31	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	86.20%
43) trans-1,3-Dichloropropene-	8.19	79	21806	4.32	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	86.40%
46) 2-Hexanone-d5	8.64	63	121211	43.93	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	87.86%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	50877	4.99	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	99.80%
64) 1,2-Dichlorobenzene-d4	12.19	152	53859	5.07	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	101.40%

Target Compounds

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
13) Acetone	2.66	43	2990m	1.632	ug/L	7 MB

12/14/20

(#) = qualifier out of range (m) = manual integration (+) = signals summed