


Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU121220\
Data File : VU041596.D
Acq On : 13 Dec 2020 03:08
Operator : SY/MD
Sample : L5060-13
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 28 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0B18

Manual Integrations
APPROVED

MMDadoda
12/14/2020 3:44:06 PM

Quant Time: Dec 13 22:59:57 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sun Dec 13 11:26:38 2020
Response via : Initial Calibration



Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU121220\
 Data File : VU041596.D
 Acq On : 13 Dec 2020 03:08
 Operator : SY/MD
 Sample : L5060-13
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_U
ClientSampleId :
 C0B18

Manual Integrations
APPROVED

MMDadoda
 12/14/2020 3:44:06 PM

Quant Time: Dec 13 11:31:21 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sun Dec 13 11:26:38 2020
 Response via : Initial Calibration



TIC: VU041596.D

(13) Acetone (T)

2.668min (+0.003) 1.06ug/L

response 2014

Ion	Exp%	Act%
43.05	100	100
58.05	36.60	27.81
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU121220\
 Data File : VU041596.D
 Acq On : 13 Dec 2020 03:08
 Operator : SY/MD
 Sample : L5060-13
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0B18

Manual Integrations
 APPROVED

MMDadoda
 12/14/2020 3:44:06 PM

Quant Time: Dec 13 12:33:48 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sun Dec 13 11:26:38 2020
 Response via : Initial Calibration



TIC: VU041596.D

(13) Acetone (T)

2.668min (+0.003) 2.06ug/L m

response 3908

Ion	Exp%	Act%
43.05	100	100
58.05	36.60	14.33
0.00	0.00	0.00
0.00	0.00	0.00

Handwritten: 7 MB
 12/14/20

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU121220\
 Data File : VU041596.D
 Acq On : 13 Dec 2020 03:08
 Operator : SY/MD
 Sample : L5060-13
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0B18

Manual Integrations
 APPROVED

MMDadoda
 12/14/2020 3:44:06 PM

Quant Time: Dec 13 22:59:57 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sun Dec 13 11:26:38 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
1) 1,4-Difluorobenzene	6.26	114	132526	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	126878	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	63000	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	33622	3.25	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	65.00%
7) Chloroethane-d5	1.92	69	32029	3.99	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	79.80%
11) 1,1-Dichloroethene-d2	2.58	63	55729	2.92	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	58.40%#
20) 2-Butanone-d5	4.65	46	157422	52.89	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	105.78%
24) Chloroform-d	5.08	84	81073	4.57	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	91.40%
26) 1,2-Dichloroethane-d4	5.72	65	46334	4.60	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	92.00%
32) Benzene-d6	5.74	84	159434	4.39	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	87.80%
36) 1,2-Dichloropropane-d6	6.70	67	51225	4.50	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	90.00%
41) Toluene-d8	7.91	98	135281	4.13	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	82.60%
43) trans-1,3-Dichloropropene-	8.19	79	20129	3.93	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	78.60%
46) 2-Hexanone-d5	8.64	63	120618	43.08	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	86.16%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	50236	4.86	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	97.20%
64) 1,2-Dichlorobenzene-d4	12.19	152	57063	5.09	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	101.80%

Target Compounds

					Qvalue
13) Acetone	2.67	43	3908m	2.064	ug/L
25) Chloroform	5.11	83	4488	0.256	ug/L

88 *MDE*
 12/14/20

(#) = qualifier out of range (m) = manual integration (+) = signals summed