


Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU121220\
Data File : VU041597.D
Acq On : 13 Dec 2020 03:31
Operator : SY/MD
Sample : L5060-14
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 29 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0B33

Manual Integrations
APPROVED

MMDadoda
12/14/2020 3:44:11 PM

Quant Time: Dec 13 23:14:33 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sun Dec 13 11:26:38 2020
Response via : Initial Calibration



Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU121220\
 Data File : VU041597.D
 Acq On : 13 Dec 2020 03:31
 Operator : SY/MD
 Sample : L5060-14
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0B33

Manual Integrations
 APPROVED

MMDadoda
 12/14/2020 3:44:11 PM

Quant Time: Dec 13 11:31:34 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sun Dec 13 11:26:38 2020
 Response via : Initial Calibration



TIC: VU041597.D

(13) Acetone (T)

2.662min (-0.003) 0.65ug/L

response 1224

Ion	Exp%	Act%
43.05	100	100
58.05	36.60	16.01
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU121220\
Data File : VU041597.D
Acq On : 13 Dec 2020 03:31
Operator : SY/MD
Sample : L5060-14
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 29 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0B33

Manual Integrations
APPROVED

MMDadoda
12/14/2020 3:44:11 PM

Quant Time: Dec 13 11:31:34 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sun Dec 13 11:26:38 2020
Response via : Initial Calibration



(13) Acetone (T)

2.662min (-0.003) 1.51ug/L m

response 2846

Ion	Exp%	Act%
43.05	100	100
58.05	36.60	6.89
0.00	0.00	0.00
0.00	0.00	0.00

7md
12/14/20

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU121220\
 Data File : VU041597.D
 Acq On : 13 Dec 2020 03:31
 Operator : SY/MD
 Sample : L5060-14
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0B33

Manual Integrations
 APPROVED

MMDadoda
 12/14/2020 3:44:11 PM

Quant Time: Dec 13 23:14:33 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sun Dec 13 11:26:38 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
1) 1,4-Difluorobenzene	6.26	114	131752	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	129096	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	60993	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	31861	3.09	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	61.80%
7) Chloroethane-d5	1.92	69	31796	3.99	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	79.80%
11) 1,1-Dichloroethene-d2	2.58	63	51797	2.73	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	54.60%#
20) 2-Butanone-d5	4.66	46	149940	50.68	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	101.36%
24) Chloroform-d	5.08	84	78638	4.46	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	89.20%
26) 1,2-Dichloroethane-d4	5.72	65	45882	4.58	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	91.60%
32) Benzene-d6	5.74	84	159972	4.33	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	86.60%
36) 1,2-Dichloropropane-d6	6.70	67	53064	4.58	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	91.60%
41) Toluene-d8	7.91	98	137160	4.11	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	82.20%
43) trans-1,3-Dichloropropene-	8.19	79	20512	3.94	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	78.80%
46) 2-Hexanone-d5	8.64	63	118937	41.75	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	83.50%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	48925	4.65	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	93.00%
64) 1,2-Dichlorobenzene-d4	12.19	152	54276	5.00	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	100.00%

Target Compounds

Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
13) Acetone	2.66	43	2846m	1.512	ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

2 m6
 12/14/20