

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU121220\
 Data File : VU041588.D
 Acq On : 13 Dec 2020 00:02
 Operator : SY/MD
 Sample : L5060-05
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0B10

Manual Integrations
 APPROVED

MMDadoda
 12/14/2020 3:43:37 PM

Quant Time: Dec 13 12:06:55 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sun Dec 13 11:26:38 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	138281	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	129759	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	63533	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	35783	3.31	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	66.20%
7) Chloroethane-d5	1.92	69	33753	4.03	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	80.60%
11) 1,1-Dichloroethene-d2	2.58	63	58312	2.93	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	58.60%#
20) 2-Butanone-d5	4.66	46	165161	53.19	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	106.38%
24) Chloroform-d	5.08	84	84297	4.55	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	91.00%
26) 1,2-Dichloroethane-d4	5.72	65	49949	4.75	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	95.00%
32) Benzene-d6	5.74	84	167036	4.50	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	90.00%
36) 1,2-Dichloropropane-d6	6.70	67	55160	4.73	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	94.60%
41) Toluene-d8	7.91	98	144329	4.30	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	86.00%
43) trans-1,3-Dichloropropene-	8.19	79	22259	4.25	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	85.00%
46) 2-Hexanone-d5	8.64	63	130970	45.74	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	91.48%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	53585	5.06	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	101.20%
64) 1,2-Dichlorobenzene-d4	12.19	152	57317	5.07	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	101.40%

Target Compounds				Ovalue
13) Acetone	2.68	43	3940m	1.995 ug/L

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU121220\
Data File : VU041588.D
Acq On : 13 Dec 2020 00:02
Operator : SY/MD
Sample : L5060-05
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 20 Sample Multiplier: 1


Instrument :
MSVOA_U
ClientSampleId :
C0B10

Manual Integrations
APPROVED

MMDadoda
12/14/2020 3:43:37 PM

Quant Time: Dec 13 12:06:55 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sun Dec 13 11:26:38 2020
Response via : Initial Calibration





#13

Acetone

Concen: 1.995 ug/L m

RT: 2.68 min Scan# 418

Delta R.T. 0.02 min

Lab File: VU041588.D

Acq: 13 Dec 2020 00:02

Tot Ion: 43 Resp: 3940

Ion Ratio Lower Upper

43 100

58 19.2 0.0 73.2

Instrument :

MSVOA_U

ClientSampleId :

C0B10

Manual Integrations

APPROVED

MMDadoda

12/14/2020 3:43:37 PM

