

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\U121220\
 Data File : VU041595.D
 Acq On : 13 Dec 2020 02:45
 Operator : SY/MD
 Sample : L5060-12
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0B17

Manual Integrations
 APPROVED

MMDadoda
 12/14/2020 3:44:02 PM

Quant Time: Dec 13 22:54:16 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sun Dec 13 11:26:38 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	128426	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	133798	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	60776	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	33190	3.31	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	66.20%
7) Chloroethane-d5	1.92	69	32073	4.13	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	82.60%
11) 1,1-Dichloroethene-d2	2.58	63	54494	2.95	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	59.00%#
20) 2-Butanone-d5	4.66	46	154437	53.55	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	107.10%
24) Chloroform-d	5.08	84	78694	4.57	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	91.40%
26) 1,2-Dichloroethane-d4	5.72	65	47120	4.83	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	96.60%
32) Benzene-d6	5.74	84	157439	4.11	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	82.20%
36) 1,2-Dichloropropane-d6	6.70	67	52197	4.35	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	87.00%
41) Toluene-d8	7.91	98	138394	4.00	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	80.00%
43) trans-1,3-Dichloropropene-	8.19	79	21359	3.96	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	79.20%
46) 2-Hexanone-d5	8.64	63	121009	40.98	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	81.96%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	50237	4.60	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	92.00%
64) 1,2-Dichlorobenzene-d4	12.19	152	52703	4.88	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	97.60%

Target Compounds				Ovalue
13) Acetone	2.66	43	3887m	2.119 ug/L

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU121220\
Data File : VU041595.D
Acq On : 13 Dec 2020 02:45
Operator : SY/MD
Sample : L5060-12
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 27 Sample Multiplier: 1


Instrument :
MSVOA_U
ClientSampleId :
C0B17

Manual Integrations
APPROVED

MMDadoda
12/14/2020 3:44:02 PM

Quant Time: Dec 13 22:54:16 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sun Dec 13 11:26:38 2020
Response via : Initial Calibration





#13
 Acetone
 Concen: 2.119 ug/L m
 RT: 2.66 min Scan# 411
 Delta R.T. -0.00 min
 Lab File: VU041595.D
 Acq: 13 Dec 2020 02:45

Instrument :
 MSVOA_U
 ClientSampleId :
 C0B17

Tot Ion: 43 Resp: 3887
 Ion Ratio Lower Upper
 43 100
 58 12.3 0.0 73.2

Manual Integrations
 APPROVED

MMDadoda
 12/14/2020 3:44:02 PM

