

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU121222\
 Data File : VU052343.D
 Acq On : 12 Dec 2022 11:20
 Operator : JC/MD
 Sample : VU1212WBL01
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK158

Quant Time: Dec 12 12:42:35 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111822WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Dec 08 04:19:43 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.247	114	256335	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.414	117	255849	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.809	152	109371	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.601	65	108380	4.347	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	87.000%	
7) Chloroethane-d5	1.916	69	91239	4.711	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	94.200%	
11) 1,1-Dichloroethene-d2	2.568	65	42917	4.802	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	96.000%	
20) 2-Butanone-d5	4.642	46	271499	60.072	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	120.140%	
24) Chloroform-d	5.060	84	189885	5.183	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	103.600%	
26) 1,2-Dichloroethane-d4	5.700	65	98007	5.296	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	106.000%	
32) Benzene-d6	5.726	84	391058	5.148	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	103.000%	
36) 1,2-Dichloropropane-d6	6.687	67	127325	5.417	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	108.400%	
41) Toluene-d8	7.896	98	319534	4.650	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	93.000%	
43) trans-1,3-Dichloroprop...	8.176	79	42111	4.916	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	98.400%	
46) 2-Hexanone-d5	8.632	63	195516	53.858	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	107.720%	
56) 1,1,2,2-Tetrachloroeth...	10.751	84	111738	5.482	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	109.600%	
66) 1,2-Dichlorobenzene-d4	12.189	152	117570	5.615	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	112.200%	
Target Compounds						
16) Methylene chloride	3.047	84	7763	0.309	ug/L	Qvalue 97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU121222\
Data File : VU052343.D
Acq On : 12 Dec 2022 11:20
Operator : JC/MD
Sample : VU1212WBL01
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK158

Quant Time: Dec 12 12:42:35 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111822WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Dec 08 04:19:43 2022
Response via : Initial Calibration

