

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU121318\  
 Data File : VU028614.D  
 Acq On : 11 Dec 2018 18:01  
 Operator : MD/SY  
 Sample : J6323-04DL 50X  
 Misc : 5.0mL/MSVOA U/WATER  
 ALS Vial : 8 Sample Multiplier: 1

Instrument :  
 MSVOA\_U  
 ClientSampleId :  
 RE-122D2-20181206DL

Quant Time: Dec 12 04:35:05 2018  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_U\METHOD\82U120618W.M  
 Quant Title : SW846 8260  
 QLast Update : Fri Dec 07 00:39:42 2018  
 Response via : Initial Calibration

| Internal Standards          | R.T.  | QIon | Response | Conc   | Units   | Dev(Min)  |
|-----------------------------|-------|------|----------|--------|---------|-----------|
| 1) Pentafluorobenzene       | 4.98  | 168  | 87491    | 50.00  | ug/l    | 0.00      |
| 34) 1,4-Difluorobenzene     | 5.89  | 114  | 159261   | 50.00  | ug/l    | 0.00      |
| 63) Chlorobenzene-d5        | 9.09  | 117  | 145084   | 50.00  | ug/l    | 0.00      |
| 72) 1,4-Dichlorobenzene-d4  | 11.48 | 152  | 57525    | 50.00  | ug/l    | 0.00      |
| System Monitoring Compounds |       |      |          |        |         |           |
| 33) 1,2-Dichloroethane-d4   | 5.31  | 65   | 73613    | 55.13  | ug/l    | 0.00      |
| Spiked Amount 50.000        |       |      | Recovery | =      | 110.26% |           |
| 35) Dibromofluoromethane    | 4.88  | 113  | 54231    | 54.11  | ug/l    | 0.00      |
| Spiked Amount 50.000        |       |      | Recovery | =      | 108.22% |           |
| 50) Toluene-d8              | 7.57  | 98   | 209605   | 52.87  | ug/l    | 0.00      |
| Spiked Amount 50.000        |       |      | Recovery | =      | 105.74% |           |
| 62) 4-Bromofluorobenzene    | 10.31 | 95   | 68537    | 46.25  | ug/l    | 0.00      |
| Spiked Amount 50.000        |       |      | Recovery | =      | 92.50%  |           |
| Target Compounds            |       |      |          |        |         |           |
| 44) Trichloroethene         | 6.19  | 130  | 70261    | 61.563 | ug/l    | Qvalue 95 |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU121318\  
Data File : VU028614.D  
Acq On : 11 Dec 2018 18:01  
Operator : MD/SY  
Sample : J6323-04DL 50X  
Misc : 5.0mL/MSVOA U/WATER  
ALS Vial : 8 Sample Multiplier: 1

Instrument :  
MSVOA\_U  
ClientSampleId :  
RE-122D2-20181206DL

Quant Time: Dec 12 04:35:05 2018  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_U\METHOD\82U120618W.M  
Quant Title : SW846 8260  
QLast Update : Fri Dec 07 00:39:42 2018  
Response via : Initial Calibration

