

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU121318\
 Data File : VU028660.D
 Acq On : 12 Dec 2018 18:23
 Operator : MD/SY
 Sample : J6343-16
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 54 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BPS1-TT-MW312I-20181210

Quant Time: Dec 13 03:11:03 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U120618W.M
 Quant Title : SW846 8260
 QLast Update : Fri Dec 07 00:39:42 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	4.98	168	88474	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	5.89	114	159022	50.00	ug/l	0.00
63) Chlorobenzene-d5	9.09	117	144500	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	11.48	152	55764	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	5.31	65	72988	54.06	ug/l	0.00
Spiked Amount	50.000		Recovery	=	108.12%	
35) Dibromofluoromethane	4.88	113	53793	53.75	ug/l	0.00
Spiked Amount	50.000		Recovery	=	107.50%	
50) Toluene-d8	7.57	98	204738	51.72	ug/l	0.00
Spiked Amount	50.000		Recovery	=	103.44%	
62) 4-Bromofluorobenzene	10.31	95	68629	46.38	ug/l	0.00
Spiked Amount	50.000		Recovery	=	92.76%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU121318\
Data File : VU028660.D
Acq On : 12 Dec 2018 18:23
Operator : MD/SY
Sample : J6343-16
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 54 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BPS1-TT-MW312I-20181210

Quant Time: Dec 13 03:11:03 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\82U120618W.M
Quant Title : SW846 8260
QLast Update : Fri Dec 07 00:39:42 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 4.98 min Scan# 1185

Delta R.T. -0.00 min

Lab File: VU028660.D

Acq: 12 Dec 2018 18:23

Instrument :

MSVOA_U

ClientSampleId :


BPS1-TT-MW312I-20181210

Tot Ion:168 Resp: 88474

Ion Ratio Lower Upper


168 100

99 59.3 46.6 69.8





Abundance Ion 167.90 (167.60 to 168.60): VU028495.D (-1168) (-)

Ion 98.90 (98.60 to 99.60): VU028660.D (-1092) (-)



Time-->



#33

1,2-Dichloroethane-d4

Concen: 54.058 ug/l

RT: 5.31 min Scan# 1286

Delta R.T. -0.00 min

Lab File: VU028660.D


Acq: 12 Dec 2018 18:23

Tgt Ion: 65 Resp: 72988

Ion Ratio Lower Upper


65 100

67 54.1 0.0 110.6





Abundance Ion 64.90 (64.60 to 65.60): VU028495.D (-1271) (-)

Ion 66.90 (66.60 to 67.60): VU028660.D (-1193) (-)



Time-->









#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 5.89 min Scan# 1466
Delta R.T. 0.00 min
Lab File: VU028660.D
Acq: 12 Dec 2018 18:23

Instrument :
MSVOA_U
ClientSampleId :
BPS1-TT-MW312I-20181210

Tot Ion:114 Resp: 159022
Ion Ratio Lower Upper
114 100
63 25.4 0.0 49.2
88 17.4 0.0 33.4




Abundance Ion 113.90 (113.60 to 114.60): V
Ion 63.00 (62.70 to 63.70): VU0
Ion 87.90 (87.60 to 88.60): VU0






#35
Dibromofluoromethane
Concen: 53.753 ug/l
RT: 4.88 min Scan# 1153
Delta R.T. -0.00 min
Lab File: VU028660.D
Acq: 12 Dec 2018 18:23

Tgt Ion:113 Resp: 53793
Ion Ratio Lower Upper
113 100
111 102.5 83.4 125.0
192 18.6 14.8 22.2



Abundance Ion 112.80 (112.50 to 113.50): V
Ion 110.80 (110.50 to 111.50): V
Ion 191.70 (191.40 to 192.40): V









#50
Toluene-d8
Concen: 51.718 ug/l
RT: 7.57 min Scan# 1988
Delta R.T. -0.00 min
Lab File: VU028660.D
Acq: 12 Dec 2018 18:23




Instrument :
MSVOA_U
ClientSampleId :
BPS1-TT-MW312I-20181210


Tot Ion: 98 Resp: 204738
Ion Ratio Lower Upper
98 100
100 63.1 51.0 76.6



#62
4-Bromofluorobenzene
Concen: 46.383 ug/l
RT: 10.31 min Scan# 2841
Delta R.T. 0.00 min
Lab File: VU028660.D
Acq: 12 Dec 2018 18:23

Tgt Ion: 95 Resp: 68629
Ion Ratio Lower Upper
95 100
174 75.8 0.0 150.4
176 72.0 0.0 145.2









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 9.09 min Scan# 2462
Delta R.T. -0.00 min
Lab File: VU028660.D
Acq: 12 Dec 2018 18:23

Instrument :
MSVOA_U
ClientSampleId :
BPS1-TT-MW312I-20181210

Tot Ion:117 Resp: 144500
Ion Ratio Lower Upper
117 100
82 60.7 48.9 73.3
119 32.3 26.2 39.4




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VU0
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 11.48 min Scan# 3206
Delta R.T. -0.00 min
Lab File: VU028660.D
Acq: 12 Dec 2018 18:23

Tgt Ion:152 Resp: 55764
Ion Ratio Lower Upper
152 100
115 60.3 42.7 128.1
150 160.1 0.0 346.0



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

