

Data Path : Z:\voasrv\HPCHEM1\MSVOA U\Data\U121319\
 Data File : VU036210.D
 Acq On : 13 Dec 2019 20:52
 Operator : JC/MD
 Sample : K6234-01
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFE53

Quant Time: Dec 23 13:36:49 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121319WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat Dec 14 01:19:01 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	232932	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	262119	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.84	152	92063	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.62	65	93360	4.55	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	91.00%
7) Chloroethane-d5	1.93	69	89833	4.89	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	97.80%
11) 1,1-Dichloroethene-d2	2.59	63	98201	3.32	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	66.40%
20) 2-Butanone-d5	4.68	46	191155	49.74	ug/L	-0.01
Spiked Amount	50.000	Range	40 - 130	Recovery	=	99.48%
24) Chloroform-d	5.11	84	128996	3.91	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	78.20%
26) 1,2-Dichloroethane-d4	5.75	65	86570	5.00	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	100.00%
32) Benzene-d6	5.77	84	295310	4.48	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	89.60%
36) 1,2-Dichloropropane-d6	6.73	67	96575	4.65	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	93.00%
41) Toluene-d8	7.93	98	236819	3.82	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	76.40%
43) trans-1,3-Dichloropropene-	8.21	79	35901	4.20	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	84.00%
46) 2-Hexanone-d5	8.68	63	146551	44.87	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	89.74%
57) 1,1,2,2-Tetrachloroethane-	10.78	84	88590	4.67	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	93.40%
64) 1,2-Dichlorobenzene-d4	12.22	152	91022	5.16	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	103.20%


Target Compounds					Ovalue
13) Acetone	2.66	43	11966	3.573 ug/L	98
42) Toluene	8.01	91	20555	0.238 ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA U\Data\VU121319\
Data File : VU036210.D
Acq On : 13 Dec 2019 20:52
Operator : JC/MD
Sample : K6234-01
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BFE53

Quant Time: Dec 23 13:36:49 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121319WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Dec 14 01:19:01 2019
Response via : Initial Calibration





#13

Acetone

Concen: 3.573 ug/L

RT: 2.66 min Scan# 411

Delta R.T. -0.02 min

Lab File: VU036210.D

Acq: 13 Dec 2019 20:52

Instrument :

MSVOA_U

ClientSampleId :





BF53

Tot Ion: 43 Resp: 11966

Ion Ratio Lower Upper

43 100

58 32.6 0.0 67.6



#42

Toluene

Concen: 0.238 ug/L

RT: 8.01 min Scan# 2073

Delta R.T. 0.00 min

Lab File: VU036210.D

Acq: 13 Dec 2019 20:52

Tgt Ion: 91 Resp: 20555

Ion Ratio Lower Upper

91 100

92 53.7 41.2 76.6

