

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\U121319\
 Data File : VU036212.D
 Acq On : 13 Dec 2019 21:41
 Operator : JC/MD
 Sample : K6234-05
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFE57

Quant Time: Dec 14 03:55:48 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121319WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat Dec 14 01:19:01 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	226277	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	251595	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.84	152	85313	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.62	65	95137	4.77	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	95.40%
7) Chloroethane-d5	1.93	69	91665	5.13	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	102.60%
11) 1,1-Dichloroethene-d2	2.59	63	100808	3.51	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	70.20%
20) 2-Butanone-d5	4.68	46	187497	50.23	ug/L	-0.01
Spiked Amount	50.000	Range	40 - 130	Recovery	=	100.46%
24) Chloroform-d	5.11	84	127488	3.98	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	79.60%
26) 1,2-Dichloroethane-d4	5.75	65	89003	5.29	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	105.80%
32) Benzene-d6	5.77	84	302220	4.78	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	95.60%
36) 1,2-Dichloropropane-d6	6.73	67	100362	5.04	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	100.80%
41) Toluene-d8	7.93	98	240084	4.04	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	80.80%
43) trans-1,3-Dichloropropene-	8.21	79	36724	4.48	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	89.60%
46) 2-Hexanone-d5	8.68	63	147144	46.93	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	93.86%
57) 1,1,2,2-Tetrachloroethane-	10.79	84	89632	4.92	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	98.40%
64) 1,2-Dichlorobenzene-d4	12.22	152	88033	5.39	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	107.80%


Target Compounds					Ovalue
13) Acetone	2.66	43	5499	1.690 ug/L	97
25) Chloroform	5.14	83	45536	1.297 ug/L	98
47) Tetrachloroethene	8.59	164	16274	0.904 ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU121319\
Data File : VU036212.D
Acq On : 13 Dec 2019 21:41
Operator : JC/MD
Sample : K6234-05
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BFE57

Quant Time: Dec 14 03:55:48 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121319WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Dec 14 01:19:01 2019
Response via : Initial Calibration





#13

Acetone

Concen: 1.690 ug/L

RT: 2.66 min Scan# 412

Delta R.T. -0.02 min

Lab File: VU036212.D

Acq: 13 Dec 2019 21:41

Instrument :

MSVOA_U

ClientSampleId :


BFES7

Tot Ion: 43 Resp: 5499

Ion Ratio Lower Upper




43 100

58 35.4 0.0 67.6



Abundance Ion 43.05 (42.75 to 43.75): VU036212.D (-324) (-)

Ion 58.05 (57.75 to 58.75): VU036212.D (-324) (-)



#25

Chloroform

Concen: 1.297 ug/L

RT: 5.14 min Scan# 1181

Delta R.T. 0.00 min

Lab File: VU036212.D


Acq: 13 Dec 2019 21:41

Tgt Ion: 83 Resp: 45536

Ion Ratio Lower Upper



83 100


85 66.0 47.5 88.1



Abundance Ion 83.05 (82.75 to 83.75): VU036212.D (-1088) (-)

Ion 85.00 (84.70 to 85.70): VU036212.D (-1088) (-)





#47

Tetrachloroethene

Concen: 0.904 ug/L

RT: 8.59 min Scan# 2254

Delta R.T. 0.00 min

Lab File: VU036212.D

Acq: 13 Dec 2019 21:41

Instrument :

MSVOA_U

ClientSampleId :

BFES7

Tot Ion:164 Resp: 16274



Ion Ratio Lower Upper

164 100

129 82.3 64.2 119.2

131 90.6 66.6 123.8

166 128.9 93.1 172.9



Abundance Ion 163.90 (163.60 to 164.60): V

Ion 128.95 (128.65 to 129.65): V

Ion 130.95 (130.65 to 131.65): V

Ion 165.90 (165.60 to 166.60): V

