

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU121321\
 Data File : VU046334.D
 Acq On : 13 Dec 2021 22:20
 Operator : SY/MD
 Sample : M5023-08ME
 Misc : 6.34g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BGKY4ME

Quant Time: Dec 14 03:55:23 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Dec 14 03:19:41 2021
 Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By : John Carlone 12/14/2021
 Supervised By : Mahesh Dadoda 12/14/2021

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.250	114	178163	50.000	ug/L	0.00
28) Chlorobenzene-d5	9.427	117	185263	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.822	152	87673	50.000	ug/L	0.01
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.601	65	55366	37.725	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	75.460%		
7) Chloroethane-d5	1.916	69	35964	31.916	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	63.840%#		
11) 1,1-Dichloroethene-d2	2.546	63	64549	24.500	ug/L	-0.03
Spiked Amount 50.000	Range 60 - 125		Recovery =	49.000%#		
21) 2-Butanone-d5	4.665	46	75466	64.684	ug/L	0.03
Spiked Amount 100.000	Range 40 - 130		Recovery =	64.680%		
24) Chloroform-d	5.067	84	94495	38.556	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	77.120%		
26) 1,2-Dichloroethane-d4	5.703	65	66841	40.638	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	81.280%		
32) Benzene-d6	5.726	84	195327	36.785	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	73.580%		
36) 1,2-Dichloropropane-d6	6.694	67	61700	37.493	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	74.980%		
41) Toluene-d8	7.899	98	172428	35.665	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	71.320%#		
43) trans-1,3-Dichloroprop...	8.182	79	28995	36.499	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	73.000%		
47) 2-Hexanone-d5	8.684	63	54609	69.988	ug/L	0.05
Spiked Amount 100.000	Range 45 - 130		Recovery =	69.990%		
56) 1,1,2,2-Tetrachloroeth...	10.774	84	90928	36.434	ug/L	0.02
Spiked Amount 50.000	Range 65 - 120		Recovery =	72.860%		
66) 1,2-Dichlorobenzene-d4	12.201	152	63692	37.723	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	75.440%#		
Target Compounds					Qvalue	
22) 2-Butanone	4.748	43	13759m	8.668	ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU121321\
Data File : VU046334.D
Acq On : 13 Dec 2021 22:20
Operator : SY/MD
Sample : M5023-08ME
Misc : 6.34g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 31 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BGKY4ME

Quant Time: Dec 14 03:55:23 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Dec 14 03:19:41 2021
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :John Carlone 12/14/2021
Supervised By :Mahesh Dadoda 12/14/2021

