

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\U121420\
 Data File : VU041607.D
 Acq On : 14 Dec 2020 12:56
 Operator : SY/MD
 Sample : L5060-16
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK01

Quant Time: Dec 15 01:02:21 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Dec 15 00:46:25 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	124739	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	124904	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	61074	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	50048	5.13	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	102.60%
7) Chloroethane-d5	1.92	69	41346	5.48	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	109.60%
11) 1,1-Dichloroethene-d2	2.58	63	73685	4.10	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	82.00%
20) 2-Butanone-d5	4.66	46	164477	58.72	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	117.44%
24) Chloroform-d	5.08	84	89540	5.36	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	107.20%
26) 1,2-Dichloroethane-d4	5.72	65	52906	5.58	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	111.60%
32) Benzene-d6	5.74	84	184994	5.17	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	103.40%
36) 1,2-Dichloropropane-d6	6.70	67	59347	5.29	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	105.80%
41) Toluene-d8	7.90	98	169106	5.24	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	104.80%
43) trans-1,3-Dichloropropene-	8.19	79	25012	4.96	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	99.20%
46) 2-Hexanone-d5	8.64	63	146318	53.08	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	106.16%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	53148	5.22	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	104.40%
64) 1,2-Dichlorobenzene-d4	12.19	152	61535	5.67	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	113.40%


Target Compounds					Ovalue
16) Methylene chloride	3.06	84	1225	0.121 ug/L	89


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU121420\
Data File : VU041607.D
Acq On : 14 Dec 2020 12:56
Operator : SY/MD
Sample : L5060-16
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK01

Quant Time: Dec 15 01:02:21 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Dec 15 00:46:25 2020
Response via : Initial Calibration





#16
 Methvlene chloride
 Concen: 0.121 ug/L
 RT: 3.06 min Scan# 536
 Delta R.T. 0.01 min
 Lab File: VU041607.D
 Acq: 14 Dec 2020 12:56

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK01

Tot Ion: 84 Resp: 1225
 Ion Ratio Lower Upper
 84 100
 86 79.7 45.1 83.7
 49 126.2 83.1 154.3

