

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU121421\
 Data File : VU046355.D
 Acq On : 14 Dec 2021 14:58
 Operator : SY/MD
 Sample : M5002-18
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 11 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M

Title : VOC Analysis

Signal : TIC: VU046355.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.475	37	42	48	rBV	3434	3610	0.69%	0.085%
2	1.604	74	82	100	rBV	66533	77989	14.81%	1.843%
3	1.919	171	180	198	rBV	49592	65504	12.44%	1.548%
4	2.572	372	383	407	rBV	106586	179522	34.09%	4.243%
5	2.765	441	443	446	rVB	208	136	0.03%	0.003%
6	2.794	447	452	458	rBV	179	278	0.05%	0.007%
7	2.839	461	466	469	rBB	133	138	0.03%	0.003%
8	2.874	475	477	482	rBB	146	120	0.02%	0.003%
9	2.903	483	486	489	rBB	159	128	0.02%	0.003%
10	2.932	492	495	497	rBV	186	150	0.03%	0.004%
11	2.977	506	509	514	rBB	402	287	0.05%	0.007%
12	3.025	522	524	527	rBV	152	121	0.02%	0.003%
13	3.176	568	571	572	rVV	220	130	0.02%	0.003%
14	3.225	583	586	589	rBV	128	133	0.03%	0.003%
15	3.610	702	706	707	rBV	131	117	0.02%	0.003%
16	3.983	820	822	826	rVB	142	122	0.02%	0.003%
17	4.321	924	927	930	rBB	141	119	0.02%	0.003%
18	4.642	1011	1027	1063	rBV	43810	139397	26.47%	3.295%
19	4.855	1090	1093	1099	rVB	293	290	0.06%	0.007%
20	4.887	1100	1103	1107	rBV2	267	244	0.05%	0.006%
21	4.925	1112	1115	1117	rBV	236	175	0.03%	0.004%
22	5.067	1144	1159	1178	rBV	99055	215671	40.96%	5.097%
23	5.160	1187	1188	1192	rVB	335	148	0.03%	0.003%
24	5.196	1193	1199	1202	rBB2	295	350	0.07%	0.008%
25	5.292	1225	1229	1230	rVV2	277	174	0.03%	0.004%
26	5.334	1240	1242	1245	rBB	229	131	0.02%	0.003%
27	5.729	1344	1365	1384	rBV2	193382	526539	100.00%	12.445%
28	5.839	1396	1399	1403	rVB2	299	247	0.05%	0.006%
29	5.874	1408	1410	1415	rBV	122	153	0.03%	0.004%
30	6.253	1512	1528	1548	rBV	177130	330717	62.81%	7.817%
31	6.327	1548	1551	1558	rVV2	404	546	0.10%	0.013%
32	6.359	1558	1561	1565	rVV2	238	186	0.04%	0.004%
33	6.379	1565	1567	1570	rVB	168	114	0.02%	0.003%
34	6.543	1615	1618	1621	rBB	152	127	0.02%	0.003%
35	6.694	1648	1665	1686	rBV	122999	236400	44.90%	5.587%
36	6.797	1693	1697	1700	rBV	130	158	0.03%	0.004%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU121421\
 Data File : VU046355.D
 Acq On : 14 Dec 2021 14:58
 Operator : SY/MD
 Sample : M5002-18
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 11 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
 Title : VOC Analysis

37	6.974	1747	1752	1753	rBV	126	136	0.03%	0.003%
38	7.179	1814	1816	1820	rBB2	255	186	0.04%	0.004%
39	7.237	1831	1834	1837	rBV	139	139	0.03%	0.003%
40	7.401	1881	1885	1887	rBB	149	129	0.02%	0.003%
41	7.417	1887	1890	1892	rBV	157	131	0.02%	0.003%
42	7.568	1922	1937	1953	rBV	64795	110663	21.02%	2.616%
43	7.707	1976	1980	1982	rBV	153	124	0.02%	0.003%
44	7.793	2004	2007	2010	rBB	142	123	0.02%	0.003%
45	7.900	2027	2040	2055	rBV	235452	399386	75.85%	9.440%
46	7.974	2055	2063	2071	rVV2	2787	5112	0.97%	0.121%
47	8.002	2071	2072	2074	rVV	244	115	0.02%	0.003%
48	8.022	2074	2078	2080	rVV2	392	271	0.05%	0.006%
49	8.073	2089	2094	2098	rBB2	271	263	0.05%	0.006%
50	8.128	2107	2111	2114	rBB	188	168	0.03%	0.004%
51	8.183	2117	2128	2142	rBV	44504	74624	14.17%	1.764%
52	8.347	2172	2179	2185	rBB	166	296	0.06%	0.007%
53	8.404	2194	2197	2200	rBV	133	137	0.03%	0.003%
54	8.478	2210	2220	2230	rBV3	2099	4010	0.76%	0.095%
55	8.523	2232	2234	2238	rVB	174	141	0.03%	0.003%
56	8.556	2238	2244	2247	rBV3	450	395	0.08%	0.009%
57	8.578	2247	2251	2257	rVB2	312	337	0.06%	0.008%
58	8.636	2257	2269	2291	rBV	166204	283107	53.77%	6.691%
59	8.826	2325	2328	2335	rVB	191	256	0.05%	0.006%
60	8.864	2335	2340	2345	rBV	182	279	0.05%	0.007%
61	8.938	2358	2363	2366	rBB	152	179	0.03%	0.004%
62	8.980	2371	2376	2378	rBV	150	169	0.03%	0.004%
63	9.012	2382	2386	2389	rBV	172	193	0.04%	0.005%
64	9.102	2411	2414	2417	rVB	145	124	0.02%	0.003%
65	9.125	2418	2421	2425	rBB	164	155	0.03%	0.004%
66	9.227	2451	2453	2456	rBV	151	127	0.02%	0.003%
67	9.276	2466	2468	2472	rVB	181	142	0.03%	0.003%
68	9.301	2473	2476	2478	rBV	168	136	0.03%	0.003%
69	9.363	2492	2495	2499	rBV	156	176	0.03%	0.004%
70	9.417	2499	2512	2534	rBV	270866	440856	83.73%	10.420%
71	9.533	2544	2548	2552	rVB	154	178	0.03%	0.004%
72	9.559	2553	2556	2559	rBV	181	187	0.04%	0.004%
73	9.597	2565	2568	2575	rVB	205	248	0.05%	0.006%
74	9.629	2576	2578	2582	rBV	189	167	0.03%	0.004%
75	9.694	2595	2598	2603	rBV2	327	380	0.07%	0.009%
76	9.961	2678	2681	2684	rBB	154	127	0.02%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU121421\
 Data File : VU046355.D
 Acq On : 14 Dec 2021 14:58
 Operator : SY/MD
 Sample : M5002-18
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 11 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF Filtering: 5
 Sampling : 1 Min Area: 0 % of largest Peak
 Start Thrs: 0.2 Max Peaks: 100
 Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
 Title : VOC Analysis




77	10.105	2723	2726	2731	rBB	196	174	0.03%	0.004%
78	10.186	2745	2751	2752	rBV	150	186	0.04%	0.004%
79	10.308	2786	2789	2792	rBV	163	157	0.03%	0.004%
80	10.343	2796	2800	2804	rVV	118	133	0.03%	0.003%
81	10.388	2811	2814	2816	rBV	162	145	0.03%	0.003%
82	10.671	2895	2902	2912	rBV	316	491	0.09%	0.012%
83	10.758	2917	2929	2946	rVB	185837	293331	55.71%	6.933%
84	10.893	2963	2971	2980	rVV3	1655	2712	0.52%	0.064%
85	11.211	3067	3070	3076	rVB	112	116	0.02%	0.003%
86	11.301	3095	3098	3102	rBV	219	217	0.04%	0.005%
87	11.462	3143	3148	3150	rBV3	364	322	0.06%	0.008%
88	11.813	3245	3257	3274	rBV	279963	436188	82.84%	10.310%
89	11.938	3292	3296	3299	rBV2	288	150	0.03%	0.004%
90	11.964	3299	3304	3310	rBV2	215	307	0.06%	0.007%
91	12.192	3363	3375	3390	rBV	241783	389326	73.94%	9.202%
92	12.774	3548	3556	3562	rVB2	746	1162	0.22%	0.027%
93	13.719	3847	3850	3857	rVB	140	150	0.03%	0.004%
94	14.321	4031	4037	4038	rBV	132	140	0.03%	0.003%
95	14.906	4215	4219	4224	rBV	165	179	0.03%	0.004%
96	15.414	4373	4377	4381	rBV2	189	162	0.03%	0.004%
97	15.510	4403	4407	4411	rBV2	243	212	0.04%	0.005%
98	15.571	4422	4426	4429	rBV	198	207	0.04%	0.005%
99	15.639	4444	4447	4450	rBV2	211	173	0.03%	0.004%
100	16.664	4764	4766	4770	rBV2	254	135	0.03%	0.003%

Sum of corrected areas: 4230918

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU121421\
Data File : VU046355.D
Acq On : 14 Dec 2021 14:58
Operator : SY/MD
Sample : M5002-18
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 11 Sample Multiplier: 1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU121421\
Data File : VU046355.D
Acq On : 14 Dec 2021 14:58
Operator : SY/MD
Sample : M5002-18
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 11 Sample Multiplier: 1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU121421\
Data File : VU046355.D
Acq On : 14 Dec 2021 14:58
Operator : SY/MD
Sample : M5002-18
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 11 Sample Multiplier: 1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
