

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU121421\
 Data File : VU046356.D
 Acq On : 14 Dec 2021 15:20
 Operator : SY/MD
 Sample : M4983-15
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M

Title : VOC Analysis

Signal : TIC: VU046356.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.604	74	82	96	rBV	65475	73801	11.87%	1.462%
2	1.919	171	180	201	rVB	48023	64862	10.44%	1.285%
3	2.218	269	273	276	rBV2	230	161	0.03%	0.003%
4	2.575	371	384	407	rBV2	110705	195531	31.46%	3.873%
5	2.790	448	451	453	rBV	156	124	0.02%	0.002%
6	2.967	505	506	511	rVB	245	160	0.03%	0.003%
7	3.022	519	523	526	rBV	130	157	0.03%	0.003%
8	3.186	570	574	578	rBB2	288	329	0.05%	0.007%
9	3.211	579	582	584	rBB	150	99	0.02%	0.002%
10	3.231	585	588	592	rBB	174	167	0.03%	0.003%
11	3.363	622	629	640	rBB5	1254	2001	0.32%	0.040%
12	3.456	655	658	662	rBV	154	168	0.03%	0.003%
13	3.562	688	691	694	rBB	131	113	0.02%	0.002%
14	3.726	739	742	745	rBV	131	116	0.02%	0.002%
15	3.874	770	788	808	rBV	42256	98920	15.92%	1.960%
16	4.028	833	836	838	rBB	168	109	0.02%	0.002%
17	4.051	839	843	845	rBB	118	109	0.02%	0.002%
18	4.456	965	969	971	rBB	143	125	0.02%	0.002%
19	4.526	987	991	994	rBB	125	133	0.02%	0.003%
20	4.642	1011	1027	1053	rBV	43800	150833	24.27%	2.988%
21	4.861	1094	1095	1098	rBB	219	102	0.02%	0.002%
22	4.912	1108	1111	1114	rBV	138	138	0.02%	0.003%
23	5.067	1143	1159	1180	rBV	97046	211400	34.01%	4.188%
24	5.160	1186	1188	1190	rVB	275	150	0.02%	0.003%
25	5.182	1192	1195	1199	rBV	237	176	0.03%	0.003%
26	5.253	1215	1217	1218	rBV	212	120	0.02%	0.002%
27	5.321	1220	1238	1262	rVV2	278426	621535	100.00%	12.312%
28	5.469	1281	1284	1286	rBV	139	121	0.02%	0.002%
29	5.578	1316	1318	1321	rBB	149	99	0.02%	0.002%
30	5.604	1322	1326	1328	rBB	132	112	0.02%	0.002%
31	5.729	1344	1365	1387	rBV2	192331	522508	84.07%	10.351%
32	5.822	1392	1394	1397	rVV	314	241	0.04%	0.005%
33	5.890	1412	1415	1418	rBV	134	139	0.02%	0.003%
34	6.099	1477	1480	1483	rBB	132	112	0.02%	0.002%
35	6.253	1514	1528	1552	rBV	189675	353946	56.95%	7.011%
36	6.385	1563	1569	1572	rBB	149	198	0.03%	0.004%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU121421\
 Data File : VU046356.D
 Acq On : 14 Dec 2021 15:20
 Operator : SY/MD
 Sample : M4983-15
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
 Title : VOC Analysis

37	6.546	1608	1619	1630	rVB5	8315	14273	2.30%	0.283%
38	6.694	1650	1665	1688	rBB	121671	232848	37.46%	4.613%
39	6.809	1695	1701	1704	rBB2	258	266	0.04%	0.005%
40	6.893	1724	1727	1729	rBB	150	101	0.02%	0.002%
41	7.147	1803	1806	1809	rBB	136	117	0.02%	0.002%
42	7.568	1923	1937	1956	rBV2	63830	110424	17.77%	2.187%
43	7.649	1960	1962	1963	rBV	221	105	0.02%	0.002%
44	7.684	1970	1973	1976	rVB	282	197	0.03%	0.004%
45	7.703	1977	1979	1981	rBV	142	104	0.02%	0.002%
46	7.899	2027	2040	2057	rBV	228574	388525	62.51%	7.696%
47	8.018	2075	2077	2079	rBV	232	175	0.03%	0.003%
48	8.182	2117	2128	2145	rBV	44621	75525	12.15%	1.496%
49	8.285	2157	2160	2163	rVB	185	121	0.02%	0.002%
50	8.337	2174	2176	2180	rVB	226	132	0.02%	0.003%
51	8.401	2193	2196	2199	rBV2	499	329	0.05%	0.007%
52	8.472	2209	2218	2227	rBV2	3818	6163	0.99%	0.122%
53	8.555	2234	2244	2255	rVB3	25621	42016	6.76%	0.832%
54	8.636	2255	2269	2291	rBV	159949	271707	43.72%	5.382%
55	8.845	2330	2334	2337	rBV	175	188	0.03%	0.004%
56	8.906	2349	2353	2355	rBB	154	123	0.02%	0.002%
57	9.009	2382	2385	2388	rBV	152	150	0.02%	0.003%
58	9.031	2388	2392	2396	rVV	125	129	0.02%	0.003%
59	9.288	2469	2472	2473	rBV	143	103	0.02%	0.002%
60	9.420	2500	2513	2535	rBV	285900	464897	74.80%	9.209%
61	9.497	2535	2537	2539	rVV	196	126	0.02%	0.002%
62	9.507	2539	2540	2543	rVB	251	115	0.02%	0.002%
63	9.693	2595	2598	2601	rVB	165	160	0.03%	0.003%
64	9.774	2619	2623	2627	rBV	183	229	0.04%	0.005%
65	10.156	2739	2742	2745	rBV	152	153	0.02%	0.003%
66	10.230	2762	2765	2769	rVV	117	106	0.02%	0.002%
67	10.349	2799	2802	2805	rVB	197	153	0.02%	0.003%
68	10.372	2805	2809	2819	rBB	181	344	0.06%	0.007%
69	10.594	2875	2878	2881	rBV	158	152	0.02%	0.003%
70	10.674	2898	2903	2904	rBV	272	219	0.04%	0.004%
71	10.758	2916	2929	2946	rVB	178294	286498	46.10%	5.675%
72	10.893	2962	2971	2982	rVB2	3811	5750	0.93%	0.114%
73	10.938	2982	2985	2988	rVB	229	170	0.03%	0.003%
74	10.957	2988	2991	2993	rBV	147	129	0.02%	0.003%
75	11.005	3001	3006	3009	rBV	196	237	0.04%	0.005%
76	11.279	3088	3091	3095	rBV	161	118	0.02%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU121421\
 Data File : VU046356.D
 Acq On : 14 Dec 2021 15:20
 Operator : SY/MD
 Sample : M4983-15
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF Filtering: 5
 Sampling : 1 Min Area: 0 % of largest Peak
 Start Thrs: 0.2 Max Peaks: 100
 Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
 Title : VOC Analysis




77	11.455	3141	3146	3147	rBV	270	208	0.03%	0.004%
78	11.465	3147	3149	3152	rVB3	288	174	0.03%	0.003%
79	11.542	3170	3173	3185	rVB	140	151	0.02%	0.003%
80	11.812	3245	3257	3273	rBV	297834	460590	74.11%	9.124%
81	11.973	3304	3307	3313	rBV	221	225	0.04%	0.004%
82	12.060	3330	3334	3337	rBV	443	476	0.08%	0.009%
83	12.195	3362	3376	3391	rBV	235882	378768	60.94%	7.503%
84	12.777	3548	3557	3564	rVB2	1309	1844	0.30%	0.037%
85	13.073	3646	3649	3654	rVB	116	102	0.02%	0.002%
86	13.227	3692	3697	3700	rBV	184	166	0.03%	0.003%
87	13.468	3769	3772	3776	rVB	141	107	0.02%	0.002%
88	13.500	3777	3782	3786	rBV	153	195	0.03%	0.004%
89	14.571	4111	4115	4117	rBV2	294	286	0.05%	0.006%
90	15.471	4393	4395	4398	rBV2	167	103	0.02%	0.002%
91	15.581	4426	4429	4433	rVB2	203	195	0.03%	0.004%
92	15.629	4441	4444	4447	rVB2	193	117	0.02%	0.002%
93	15.651	4448	4451	4454	rBV	251	230	0.04%	0.005%
94	15.729	4471	4475	4478	rBV2	230	213	0.03%	0.004%
95	15.754	4478	4483	4488	rBV2	219	322	0.05%	0.006%
96	15.899	4525	4528	4531	rBV	217	182	0.03%	0.004%
97	15.947	4540	4543	4545	rBV2	273	214	0.03%	0.004%
98	16.735	4785	4788	4790	rBV2	366	218	0.04%	0.004%
99	16.886	4833	4835	4840	rVB3	423	320	0.05%	0.006%
100	16.915	4841	4844	4846	rBV2	356	229	0.04%	0.005%

Sum of corrected areas: 5048127

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU121421\
Data File : VU046356.D
Acq On : 14 Dec 2021 15:20
Operator : SY/MD
Sample : M4983-15
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 12 Sample Multiplier: 1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU121421\
Data File : VU046356.D
Acq On : 14 Dec 2021 15:20
Operator : SY/MD
Sample : M4983-15
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 12 Sample Multiplier: 1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU121421\
Data File : VU046356.D
Acq On : 14 Dec 2021 15:20
Operator : SY/MD
Sample : M4983-15
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 12 Sample Multiplier: 1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
