

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU121518\
 Data File : VU028699.D
 Acq On : 14 Dec 2018 21:41
 Operator : MD/SY
 Sample : J6393-14
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 MW-6A_R1

Quant Time: Dec 15 02:31:16 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U120618W.M
 Quant Title : SW846 8260
 QLast Update : Fri Dec 07 00:39:42 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	4.98	168	75800	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	5.89	114	136664	50.00	ug/l	0.00
63) Chlorobenzene-d5	9.09	117	122309	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	11.48	152	46769	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	5.31	65	64863	56.07	ug/l	0.00
Spiked Amount 50.000			Recovery	=	112.14%	
35) Dibromofluoromethane	4.88	113	48044	55.86	ug/l	0.00
Spiked Amount 50.000			Recovery	=	111.72%	
50) Toluene-d8	7.57	98	178207	52.38	ug/l	0.00
Spiked Amount 50.000			Recovery	=	104.76%	
62) 4-Bromofluorobenzene	10.31	95	57575	45.28	ug/l	0.00
Spiked Amount 50.000			Recovery	=	90.56%	
Target Compounds						
64) Tetrachloroethene	8.23	164	965	1.183	ug/l	Qvalue 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU121518\
Data File : VU028699.D
Acq On : 14 Dec 2018 21:41
Operator : MD/SY
Sample : J6393-14
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
MW-6A_R1

Quant Time: Dec 15 02:31:16 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\82U120618W.M
Quant Title : SW846 8260
QLast Update : Fri Dec 07 00:39:42 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 4.98 min Scan# 1185

Delta R.T. -0.00 min

Lab File: VU028699.D

Acq: 14 Dec 2018 21:41

Instrument :

MSVOA_U

ClientSampleId :


MW-6A_R1

Tgt Ion:168 Resp: 75800

Ion Ratio Lower Upper

168 100

99 60.6 46.6 69.8



Abundance Ion 167.90 (167.60 to 168.60): VU028495.D (-1168) (-)

Ion 98.90 (98.60 to 99.60): VU028495.D (-1168) (-)

4.98

30000



20000

10000

0

4.90 5.00 5.10

Time-->



#33

1,2-Dichloroethane-d4

Concen: 56.073 ug/l

RT: 5.31 min Scan# 1286

Delta R.T. -0.00 min

Lab File: VU028699.D


Acq: 14 Dec 2018 21:41

Tgt Ion: 65 Resp: 64863

Ion Ratio Lower Upper

65 100

67 53.8 0.0 110.6



Abundance Ion 64.90 (64.60 to 65.60): VU028495.D (-1271) (-)

Ion 66.90 (66.60 to 67.60): VU028495.D (-1271) (-)

5.31

30000


20000


10000

0

5.25 5.30 5.35 5.40

Time-->









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 5.89 min Scan# 1466
 Delta R.T. 0.00 min
 Lab File: VU028699.D
 Acq: 14 Dec 2018 21:41

Instrument :
 MSVOA_U
 ClientSampleId :
 MW-6A_R1

Tgt Ion:114 Resp: 136664
 Ion Ratio Lower Upper
 114 100
 63 25.4 0.0 49.2
 88 16.4 0.0 33.4




Abundance Ion 113.90 (113.60 to 114.60): V
 Ion 63.00 (62.70 to 63.70): VU0
 Ion 87.90 (87.60 to 88.60): VU0






#35
 Dibromofluoromethane
 Concen: 55.863 ug/l
 RT: 4.88 min Scan# 1153
 Delta R.T. -0.00 min
 Lab File: VU028699.D
 Acq: 14 Dec 2018 21:41

Tgt Ion:113 Resp: 48044
 Ion Ratio Lower Upper
 113 100
 111 101.5 83.4 125.0
 192 18.7 14.8 22.2



Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 52.381 ug/l

RT: 7.57 min Scan# 1988

Delta R.T. -0.00 min

Lab File: VU028699.D

Acq: 14 Dec 2018 21:41

Instrument :

MSVOA_U

ClientSampleId :


MW-6A_R1

Tgt Ion: 98 Resp: 178207

Ion Ratio Lower Upper

98 100

100 63.4 51.0 76.6



Abundance Ion 98.00 (97.70 to 98.70): VU028495.D (-1973) (-)

Ion 100.00 (99.70 to 100.70): VU028495.D (-1973) (-)

7.57

100000

80000

60000



40000

20000

0

7.50 7.60 7.70

Time-->



#62

4-Bromofluorobenzene

Concen: 45.278 ug/l

RT: 10.31 min Scan# 2841

Delta R.T. 0.00 min

Lab File: VU028699.D

Acq: 14 Dec 2018 21:41


Tgt Ion: 95 Resp: 57575

Ion Ratio Lower Upper

95 100

174 73.8 0.0 150.4

176 72.5 0.0 145.2



Abundance Ion 94.90 (94.60 to 95.60): VU028495.D (-2828) (-)

Ion 173.80 (173.50 to 174.50): VU028495.D (-2828) (-)

Ion 175.80 (175.50 to 176.50): VU028495.D (-2828) (-)

10.31

40000

30000


20000


10000

0

10.30 10.40

Time-->









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 9.09 min Scan# 2462
Delta R.T. -0.00 min
Lab File: VU028699.D
Acq: 14 Dec 2018 21:41

Instrument :
MSVOA_U
ClientSampleId :
MW-6A_R1

Tgt Ion:117 Resp: 122309
Ion Ratio Lower Upper
117 100
82 61.5 48.9 73.3
119 32.3 26.2 39.4




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): V
Ion 118.90 (118.60 to 119.60): V






#64
Tetrachloroethene
Concen: 1.183 ug/l
RT: 8.23 min Scan# 2194
Delta R.T. -0.00 min
Lab File: VU028699.D
Acq: 14 Dec 2018 21:41

Tgt Ion:164 Resp: 965
Ion Ratio Lower Upper
164 100
166 125.0 101.9 152.9
129 89.8 74.9 112.3
131 96.8 75.4 113.0



Abundance Ion 163.80 (163.50 to 164.50): V
Ion 165.80 (165.50 to 166.50): V
Ion 128.80 (128.50 to 129.50): V
Ion 130.80 (130.50 to 131.50): V





#72
 1,4-Dichlorobenzene-d4
 Concen: 50.000 ug/l
 RT: 11.48 min Scan# 3206
 Delta R.T. -0.00 min
 Lab File: VU028699.D
 Acq: 14 Dec 2018 21:41

Instrument :
 MSVOA_U
 ClientSampleId :
 MW-6A_R1

Tgt Ion:152 Resp: 46769
 Ion Ratio Lower Upper
 152 100
 115 62.3 42.7 128.1
 150 156.3 0.0 346.0

