

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU121520\
 Data File : VU041645.D
 Acq On : 15 Dec 2020 18:43
 Operator : SY/MD
 Sample : L5027-08DL 10X
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 GB1H9DL

Quant Time: Dec 16 05:36:35 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Dec 16 04:34:43 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	114434	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	116651	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	48974	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	27068	3.03	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	60.60%
7) Chloroethane-d5	1.92	69	28865	4.17	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	83.40%
11) 1,1-Dichloroethene-d2	2.58	63	47022	2.85	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	57.00%#
20) 2-Butanone-d5	4.67	46	138314	53.82	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	107.64%
24) Chloroform-d	5.08	84	70831	4.62	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	92.40%
26) 1,2-Dichloroethane-d4	5.72	65	44963	5.17	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	103.40%
32) Benzene-d6	5.74	84	137492	4.12	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	82.40%
36) 1,2-Dichloropropane-d6	6.70	67	46451	4.44	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	88.80%
41) Toluene-d8	7.91	98	114607	3.80	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	76.00%
43) trans-1,3-Dichloropropene-	8.19	79	19001	4.04	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	80.80%
46) 2-Hexanone-d5	8.64	63	109286	42.45	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	84.90%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	47745	5.02	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	100.40%
64) 1,2-Dichlorobenzene-d4	12.19	152	46669	5.36	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	107.20%

Target Compounds					Ovalue
47) Tetrachloroethene	8.56	164	72453	11.040 ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU121520\
Data File : VU041645.D
Acq On : 15 Dec 2020 18:43
Operator : SY/MD
Sample : L5027-08DL 10X
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
GB1H9DL

Quant Time: Dec 16 05:36:35 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Dec 16 04:34:43 2020
Response via : Initial Calibration

