

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU121520\  
 Data File : VU041646.D  
 Acq On : 15 Dec 2020 19:06  
 Operator : SY/MD  
 Sample : L5027-21DL 10X  
 Misc : 25.0mL/MSVOA U/WATER  
 ALS Vial : 22 Sample Multiplier: 1

Instrument :  
 MSVOA\_U  
 ClientSampleId :  
 GB1K0DL

Quant Time: Dec 16 05:37:46 2020  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_U\METHOD\SOMUTR121220WMA.M  
 Quant Title : TRACE VOA SOM01.0  
 QLast Update : Wed Dec 16 04:34:43 2020  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc | Units | Dev(Min) |
|----------------------------|-------|------|----------|------|-------|----------|
| 1) 1,4-Difluorobenzene     | 6.26  | 114  | 110661   | 5.00 | ug/L  | 0.00     |
| 28) Chlorobenzene-d5       | 9.42  | 117  | 111378   | 5.00 | ug/L  | 0.00     |
| 60) 1,4-Dichlorobenzene-d4 | 11.81 | 152  | 46852    | 5.00 | ug/L  | 0.00     |

## System Monitoring Compounds

|                                |        |       |          |          |      |         |
|--------------------------------|--------|-------|----------|----------|------|---------|
| 4) Vinyl Chloride-d3           | 1.60   | 65    | 28117    | 3.25     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 40 - 130 | Recovery | =    | 65.00%  |
| 7) Chloroethane-d5             | 1.92   | 69    | 30222    | 4.51     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 65 - 130 | Recovery | =    | 90.20%  |
| 11) 1,1-Dichloroethene-d2      | 2.58   | 63    | 46957    | 2.95     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 60 - 125 | Recovery | =    | 59.00%# |
| 20) 2-Butanone-d5              | 4.66   | 46    | 142770   | 57.45    | ug/L | 0.00    |
| Spiked Amount                  | 50.000 | Range | 40 - 130 | Recovery | =    | 114.90% |
| 24) Chloroform-d               | 5.08   | 84    | 73217    | 4.94     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 125 | Recovery | =    | 98.80%  |
| 26) 1,2-Dichloroethane-d4      | 5.72   | 65    | 44361    | 5.28     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 130 | Recovery | =    | 105.60% |
| 32) Benzene-d6                 | 5.74   | 84    | 138675   | 4.35     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 125 | Recovery | =    | 87.00%  |
| 36) 1,2-Dichloropropane-d6     | 6.70   | 67    | 45570    | 4.56     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 60 - 140 | Recovery | =    | 91.20%  |
| 41) Toluene-d8                 | 7.90   | 98    | 117958   | 4.10     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 130 | Recovery | =    | 82.00%  |
| 43) trans-1,3-Dichloropropene- | 8.19   | 79    | 19164    | 4.26     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 55 - 130 | Recovery | =    | 85.20%  |
| 46) 2-Hexanone-d5              | 8.64   | 63    | 113378   | 46.13    | ug/L | 0.00    |
| Spiked Amount                  | 50.000 | Range | 45 - 130 | Recovery | =    | 92.26%  |
| 57) 1,1,2,2-Tetrachloroethane- | 10.75  | 84    | 46770    | 5.15     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 65 - 120 | Recovery | =    | 103.00% |
| 64) 1,2-Dichlorobenzene-d4     | 12.19  | 152   | 46199    | 5.55     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 80 - 120 | Recovery | =    | 111.00% |

| Target Compounds      |      |     |       |             | Ovalue |
|-----------------------|------|-----|-------|-------------|--------|
| 47) Tetrachloroethene | 8.56 | 164 | 73646 | 11.753 ug/L | 97     |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU121520\  
Data File : VU041646.D  
Acq On : 15 Dec 2020 19:06  
Operator : SY/MD  
Sample : L5027-21DL 10X  
Misc : 25.0mL/MSVOA U/WATER  
ALS Vial : 22 Sample Multiplier: 1

Instrument :  
MSVOA\_U  
ClientSampleId :  
GB1K0DL

Quant Time: Dec 16 05:37:46 2020  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_U\METHOD\SOMUTR121220WMA.M  
Quant Title : TRACE VOA SOM01.0  
QLast Update : Wed Dec 16 04:34:43 2020  
Response via : Initial Calibration

