

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU121520\
 Data File : VU041639.D
 Acq On : 15 Dec 2020 16:15
 Operator : SY/MD
 Sample : L5063-11
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK02

Quant Time: Dec 16 04:32:02 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Dec 16 02:41:48 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	117799	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	118020	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	50307	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	45951	4.99	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	99.80%
7) Chloroethane-d5	1.92	69	39492	5.54	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	110.80%
11) 1,1-Dichloroethene-d2	2.58	63	66461	3.92	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	78.40%
20) 2-Butanone-d5	4.67	46	141647	53.54	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	107.08%
24) Chloroform-d	5.08	84	81707	5.18	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	103.60%
26) 1,2-Dichloroethane-d4	5.72	65	48492	5.42	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	108.40%
32) Benzene-d6	5.75	84	163241	4.83	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	96.60%
36) 1,2-Dichloropropane-d6	6.70	67	51178	4.83	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	96.60%
41) Toluene-d8	7.91	98	140404	4.60	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	92.00%
43) trans-1,3-Dichloropropene-	8.19	79	21725	4.56	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	91.20%
46) 2-Hexanone-d5	8.64	63	123604	47.46	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	94.92%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	47109	4.89	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	97.80%
64) 1,2-Dichlorobenzene-d4	12.19	152	49899	5.58	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	111.60%


Target Compounds					Ovalue
16) Methylene chloride	3.06	84	1948	0.204 ug/L	94




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU121520\
Data File : VU041639.D
Acq On : 15 Dec 2020 16:15
Operator : SY/MD
Sample : L5063-11
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK02

Quant Time: Dec 16 04:32:02 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Dec 16 02:41:48 2020
Response via : Initial Calibration





#16

Methylene chloride

Concen: 0.204 ug/L

RT: 3.06 min Scan# 536

Delta R.T. 0.01 min

Lab File: VU041639.D

Acq: 15 Dec 2020 16:15

Instrument :

MSVOA_U

ClientSampleId :

VHBLK02

Tot Ion: 84 Resp: 1948

Ion Ratio Lower Upper

84 100

86 76.5 45.1 83.7

49 119.6 83.1 154.3

