

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU121619\
 Data File : VU036240.D
 Acq On : 16 Dec 2019 17:43
 Operator : JC/MD
 Sample : K6275-13
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFDS9

Quant Time: Dec 17 03:28:14 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121319WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Dec 17 01:19:57 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	234363	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	265916	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.84	152	80988	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.62	65	82702	4.01	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	80.20%
7) Chloroethane-d5	1.93	69	83622	4.52	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	90.40%
11) 1,1-Dichloroethene-d2	2.59	63	88813	2.98	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	59.60%#
20) 2-Butanone-d5	4.69	46	188699	48.80	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	97.60%
24) Chloroform-d	5.11	84	153810	4.63	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	92.60%
26) 1,2-Dichloroethane-d4	5.75	65	85602	4.91	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	98.20%
32) Benzene-d6	5.77	84	274177	4.10	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	82.00%
36) 1,2-Dichloropropane-d6	6.73	67	93452	4.44	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	88.80%
41) Toluene-d8	7.93	98	222126	3.53	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	70.60%
43) trans-1,3-Dichloropropene-	8.21	79	34250	3.95	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	79.00%
46) 2-Hexanone-d5	8.69	63	140602	42.43	ug/L	0.01
Spiked Amount	50.000	Range	45 - 130	Recovery	=	84.86%
57) 1,1,2,2-Tetrachloroethane-	10.79	84	84478	4.39	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	87.80%
64) 1,2-Dichlorobenzene-d4	12.22	152	74688	4.82	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	96.40%

Target Compounds					Ovalue
13) Acetone	2.66	43	5279	1.567 ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU121619\
Data File : VU036240.D
Acq On : 16 Dec 2019 17:43
Operator : JC/MD
Sample : K6275-13
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BFDS9

Quant Time: Dec 17 03:28:14 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121319WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Dec 17 01:19:57 2019
Response via : Initial Calibration

