

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU121621\
 Data File : VU046450.D
 Acq On : 17 Dec 2021 03:03
 Operator : SY/MD
 Sample : M5121-04 20X
 Misc : 5.71g/5.0mL/100ul/5.0mL/MSVOA_U/MEOH
 ALS Vial : 43 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BGL53

Quant Time: Dec 17 04:07:44 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Dec 17 03:50:47 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.253	114	142253	50.000	ug/L	0.00
28) Chlorobenzene-d5	9.420	117	147403	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	75534	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.604	65	48713	41.571	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	83.140%
7) Chloroethane-d5	1.919	69	33929	37.711	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	75.420%
11) 1,1-Dichloroethene-d2	2.572	63	63556	30.213	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	60.420%
21) 2-Butanone-d5	4.633	46	71319	76.561	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	76.560%
24) Chloroform-d	5.067	84	89016	45.489	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.980%
26) 1,2-Dichloroethane-d4	5.703	65	60184	45.828	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.660%
32) Benzene-d6	5.729	84	177542	42.023	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	84.040%
36) 1,2-Dichloropropane-d6	6.694	67	55802	42.618	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	85.240%
41) Toluene-d8	7.899	98	153195	39.825	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	79.660%#
43) trans-1,3-Dichloroprop...	8.179	79	24303	38.450	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	76.900%
47) 2-Hexanone-d5	8.636	63	53244	85.765	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	85.770%
56) 1,1,2,2-Tetrachloroeth...	10.758	84	81010	40.797	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	81.600%
66) 1,2-Dichlorobenzene-d4	12.195	152	60856	41.836	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	83.680%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU121621\
Data File : VU046450.D
Acq On : 17 Dec 2021 03:03
Operator : SY/MD
Sample : M5121-04 20X
Misc : 5.71g/5.0mL/100ul/5.0mL/MSVOA_U/MEOH
ALS Vial : 43 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BGL53

Quant Time: Dec 17 04:07:44 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Dec 17 03:50:47 2021
Response via : Initial Calibration

