

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU121718\
 Data File : VU028711.D
 Acq On : 17 Dec 2018 11:16
 Operator : MD/SY
 Sample : J6439-01
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 STORAGE-BLANK-SOIL-REF-6

Quant Time: Dec 18 03:27:11 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U120618W.M
 Quant Title : SW846 8260
 QLast Update : Fri Dec 07 00:39:42 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	4.98	168	76737	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	5.88	114	134810	50.00	ug/l	0.00
63) Chlorobenzene-d5	9.09	117	119428	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	11.48	152	43863	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	5.31	65	61491	52.51	ug/l	0.00
Spiked Amount	50.000		Recovery	=	105.02%	
35) Dibromofluoromethane	4.88	113	45449	53.57	ug/l	0.00
Spiked Amount	50.000		Recovery	=	107.14%	
50) Toluene-d8	7.56	98	173963	51.84	ug/l	0.00
Spiked Amount	50.000		Recovery	=	103.68%	
62) 4-Bromofluorobenzene	10.31	95	55065	43.90	ug/l	0.00
Spiked Amount	50.000		Recovery	=	87.80%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU121718\
Data File : VU028711.D
Acq On : 17 Dec 2018 11:16
Operator : MD/SY
Sample : J6439-01
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
STORAGE-BLANK-SOIL-REF-6

Quant Time: Dec 18 03:27:11 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\82U120618W.M
Quant Title : SW846 8260
QLast Update : Fri Dec 07 00:39:42 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 4.98 min Scan# 1184

Delta R.T. -0.00 min

Lab File: VU028711.D

Acq: 17 Dec 2018 11:16

Instrument :

MSVOA_U

ClientSampleId :


STORAGE-BLANK-SOIL-REF-6

Tgt Ion:168 Resp: 76737

Ion Ratio Lower Upper

168 100

99 58.7 46.6 69.8



Abundance Ion 167.90 (167.60 to 168.60): VU028495.D (-1168) (-)

Ion 98.90 (98.60 to 99.60): VU028495.D (-1168) (-)

4.98

30000



20000

10000

0

4.90 5.00 5.10

Time-->



#33

1,2-Dichloroethane-d4

Concen: 52.509 ug/l

RT: 5.31 min Scan# 1285

Delta R.T. -0.00 min

Lab File: VU028711.D


Acq: 17 Dec 2018 11:16

Tgt Ion: 65 Resp: 61491

Ion Ratio Lower Upper

65 100

67 52.8 0.0 110.6



Abundance Ion 64.90 (64.60 to 65.60): VU028495.D (-1271) (-)

Ion 66.90 (66.60 to 67.60): VU028495.D (-1271) (-)

5.31

30000


20000


10000

0

5.20 5.30 5.40

Time-->









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 5.88 min Scan# 1465
 Delta R.T. 0.00 min
 Lab File: VU028711.D
 Acq: 17 Dec 2018 11:16

Instrument :
 MSVOA_U
 ClientSampleId :
 STORAGE-BLANK-SOIL-REF-6

Tgt Ion:114 Resp: 134810
 Ion Ratio Lower Upper
 114 100
 63 24.3 0.0 49.2
 88 16.3 0.0 33.4




Abundance Ion 113.90 (113.60 to 114.60): V
 Ion 63.00 (62.70 to 63.70): VU0
 Ion 87.90 (87.60 to 88.60): VU0






#35
 Dibromofluoromethane
 Concen: 53.572 ug/l
 RT: 4.88 min Scan# 1153
 Delta R.T. -0.00 min
 Lab File: VU028711.D
 Acq: 17 Dec 2018 11:16

Tgt Ion:113 Resp: 45449
 Ion Ratio Lower Upper
 113 100
 111 105.1 83.4 125.0
 192 19.6 14.8 22.2



Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V









#50
Toluene-d8
Concen: 51.836 ug/l
RT: 7.56 min Scan# 1987
Delta R.T. -0.00 min
Lab File: VU028711.D
Acq: 17 Dec 2018 11:16




Instrument :
MSVOA_U
ClientSampleId :
STORAGE-BLANK-SOIL-REF-6


Tgt Ion: 98 Resp: 173963
Ion Ratio Lower Upper
98 100
100 62.2 51.0 76.6



#62
4-Bromofluorobenzene
Concen: 43.899 ug/l
RT: 10.31 min Scan# 2841
Delta R.T. 0.00 min
Lab File: VU028711.D
Acq: 17 Dec 2018 11:16

Tgt Ion: 95 Resp: 55065
Ion Ratio Lower Upper
95 100
174 75.2 0.0 150.4
176 72.1 0.0 145.2









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 9.09 min Scan# 2462
Delta R.T. 0.00 min
Lab File: VU028711.D
Acq: 17 Dec 2018 11:16

Instrument :
MSVOA_U
ClientSampleId :
STORAGE-BLANK-SOIL-REF-6

Tgt Ion:117 Resp: 119428
Ion Ratio Lower Upper
117 100
82 60.2 48.9 73.3
119 30.7 26.2 39.4




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VU0
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 11.48 min Scan# 3206
Delta R.T. 0.00 min
Lab File: VU028711.D
Acq: 17 Dec 2018 11:16

Tgt Ion:152 Resp: 43863
Ion Ratio Lower Upper
152 100
115 60.1 42.7 128.1
150 158.2 0.0 346.0



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

