

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU121718\
 Data File : VU028737.D
 Acq On : 17 Dec 2018 22:45
 Operator : MD/SY
 Sample : VU1217WBL02
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VU1217WBL02

Quant Time: Dec 18 07:30:38 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U120618W.M
 Quant Title : SW846 8260
 QLast Update : Fri Dec 07 00:39:42 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	4.98	168	82000	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	5.89	114	149634	50.00	ug/l	0.00
63) Chlorobenzene-d5	9.09	117	135071	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	11.48	152	54128	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	5.31	65	66905	53.47	ug/l	0.00
Spiked Amount 50.000			Recovery	=	106.94%	
35) Dibromofluoromethane	4.88	113	50959	54.12	ug/l	0.00
Spiked Amount 50.000			Recovery	=	108.24%	
50) Toluene-d8	7.57	98	189786	50.95	ug/l	0.00
Spiked Amount 50.000			Recovery	=	101.90%	
62) 4-Bromofluorobenzene	10.31	95	63627	45.70	ug/l	0.00
Spiked Amount 50.000			Recovery	=	91.40%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU121718\
Data File : VU028737.D
Acq On : 17 Dec 2018 22:45
Operator : MD/SY
Sample : VU1217WBL02
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 32 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VU1217WBL02

Quant Time: Dec 18 07:30:38 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\82U120618W.M
Quant Title : SW846 8260
QLast Update : Fri Dec 07 00:39:42 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 4.98 min Scan# 1185

Delta R.T. -0.00 min

Lab File: VU028737.D

Acq: 17 Dec 2018 22:45


Instrument :
MSVOA_U
ClientSampleId :
VU1217WBL02

Tgt Ion: 168 Resp: 82000

Ion Ratio Lower Upper

168 100

99 60.3 46.6 69.8



Abundance Ion 167.90 (167.60 to 168.60): VU028495.D (-1168) (-)

Ion 98.90 (98.60 to 99.60): VU028495.D (-1168) (-)

4.98

30000



20000

10000

0

4.90 5.00 5.10

Time-->



#33

1,2-Dichloroethane-d4

Concen: 53.465 ug/l

RT: 5.31 min Scan# 1286

Delta R.T. -0.00 min

Lab File: VU028737.D


Acq: 17 Dec 2018 22:45

Tgt Ion: 65 Resp: 66905

Ion Ratio Lower Upper

65 100

67 54.7 0.0 110.6



Abundance Ion 64.90 (64.60 to 65.60): VU028495.D (-1271) (-)

Ion 66.90 (66.60 to 67.60): VU028495.D (-1271) (-)

5.31

30000


20000

10000

0

5.20 5.30 5.40

Time-->









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 5.89 min Scan# 1466
 Delta R.T. 0.00 min
 Lab File: VU028737.D
 Acq: 17 Dec 2018 22:45

Instrument :
 MSVOA_U
 ClientSampleId :
 VU1217WBL02

Tgt Ion:114 Resp: 149634
 Ion Ratio Lower Upper
 114 100
 63 24.9 0.0 49.2
 88 16.8 0.0 33.4




Abundance Ion 113.90 (113.60 to 114.60): V
 100000
 Ion 63.00 (62.70 to 63.70): VU0
 Ion 87.90 (87.60 to 88.60): VU0






#35
 Dibromofluoromethane
 Concen: 54.116 ug/l
 RT: 4.88 min Scan# 1153
 Delta R.T. -0.00 min
 Lab File: VU028737.D
 Acq: 17 Dec 2018 22:45

Tgt Ion:113 Resp: 50959
 Ion Ratio Lower Upper
 113 100
 111 101.0 83.4 125.0
 192 18.5 14.8 22.2



Abundance Ion 112.80 (112.50 to 113.50): V
 30000
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V









#50
Toluene-d8
Concen: 50.949 ug/l
RT: 7.57 min Scan# 1988
Delta R.T. -0.00 min
Lab File: VU028737.D
Acq: 17 Dec 2018 22:45




Instrument :
MSVOA_U
ClientSampleId :
VU1217WBL02


Tgt Ion: 98 Resp: 189786
Ion Ratio Lower Upper
98 100
100 63.3 51.0 76.6



#62
4-Bromofluorobenzene
Concen: 45.700 ug/l
RT: 10.31 min Scan# 2841
Delta R.T. 0.00 min
Lab File: VU028737.D
Acq: 17 Dec 2018 22:45

Tgt Ion: 95 Resp: 63627
Ion Ratio Lower Upper
95 100
174 75.4 0.0 150.4
176 71.9 0.0 145.2









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 9.09 min Scan# 2462
Delta R.T. -0.00 min
Lab File: VU028737.D
Acq: 17 Dec 2018 22:45

Instrument :
MSVOA_U
ClientSampleId :
VU1217WBL02

Tgt Ion:117 Resp: 135071
Ion Ratio Lower Upper
117 100
82 59.8 48.9 73.3
119 31.9 26.2 39.4




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VU0
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 11.48 min Scan# 3206
Delta R.T. -0.00 min
Lab File: VU028737.D
Acq: 17 Dec 2018 22:45

Tgt Ion:152 Resp: 54128
Ion Ratio Lower Upper
152 100
115 59.6 42.7 128.1
150 153.2 0.0 346.0



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

