

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU121721\
 Data File : VU046468.D
 Acq On : 17 Dec 2021 13:47
 Operator : SY/MD
 Sample : VIBLK016
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VIBLK016

Quant Time: Dec 17 14:08:53 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Dec 17 03:50:47 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.253	114	139135	50.000	ug/L	0.00
28) Chlorobenzene-d5	9.420	117	140564	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	68758	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.604	65	49829	43.476	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	86.960%		
7) Chloroethane-d5	1.919	69	38509	43.761	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	87.520%		
11) 1,1-Dichloroethene-d2	2.571	63	68553	33.319	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	66.640%		
21) 2-Butanone-d5	4.632	46	76298	83.742	ug/L	-0.02
Spiked Amount 100.000	Range 40 - 130		Recovery =	83.740%		
24) Chloroform-d	5.067	84	96240	50.283	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	100.560%		
26) 1,2-Dichloroethane-d4	5.706	65	65079	50.665	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	101.340%		
32) Benzene-d6	5.729	84	188965	46.903	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	93.800%		
36) 1,2-Dichloropropane-d6	6.693	67	58061	46.501	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	93.000%		
41) Toluene-d8	7.899	98	161535	44.036	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	88.080%		
43) trans-1,3-Dichloroprop...	8.182	79	27301	45.295	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	90.580%		
47) 2-Hexanone-d5	8.636	63	56581	95.575	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	95.570%		
56) 1,1,2,2-Tetrachloroeth...	10.758	84	83755	44.232	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	88.460%		
66) 1,2-Dichlorobenzene-d4	12.195	152	63606	48.035	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	96.080%		
Target Compounds						Qvalue
46) Tetrachloroethene	8.555	164	4075	4.948	ug/L	87

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU121721\
Data File : VU046468.D
Acq On : 17 Dec 2021 13:47
Operator : SY/MD
Sample : VIBLK016
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VIBLK016

Quant Time: Dec 17 14:08:53 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM112921WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Dec 17 03:50:47 2021
Response via : Initial Calibration

