

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU121724\
 Data File : VU062419.D
 Acq On : 18 Dec 2024 05:09
 Operator : MD/SY
 Sample : P5309-07
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 49 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0CF8

Quant Time: Dec 18 07:01:26 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR120924WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Dec 18 01:12:26 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.312	114	93671	5.000	ug/L	0.07
28) Chlorobenzene-d5	9.425	117	93586	5.000	ug/L	0.02
58) 1,4-Dichlorobenzene-d4	11.807	152	47350	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.637	65	25507	4.037	ug/L	0.04
Spiked Amount	5.000	Range	40 - 130	Recovery	=	80.800%
7) Chloroethane-d5	1.968	69	20608	4.586	ug/L	0.06
Spiked Amount	5.000	Range	65 - 130	Recovery	=	91.800%
11) 1,1-Dichloroethene-d2	2.621	65	12871	4.282	ug/L	0.06
Spiked Amount	5.000	Range	60 - 125	Recovery	=	85.600%
20) 2-Butanone-d5	4.763	46	47923	39.577	ug/L	0.14
Spiked Amount	50.000	Range	40 - 130	Recovery	=	79.160%
24) Chloroform-d	5.113	84	67794	4.958	ug/L	0.06
Spiked Amount	5.000	Range	70 - 125	Recovery	=	99.200%
26) 1,2-Dichloroethane-d4	5.788	65	34466	5.126	ug/L	0.10
Spiked Amount	5.000	Range	70 - 130	Recovery	=	102.600%
32) Benzene-d6	5.804	84	117431	4.357	ug/L	0.09
Spiked Amount	5.000	Range	70 - 125	Recovery	=	87.200%
36) 1,2-Dichloropropane-d6	6.743	67	35955	4.662	ug/L	0.06
Spiked Amount	5.000	Range	60 - 140	Recovery	=	93.200%
41) Toluene-d8	7.923	98	110730	4.349	ug/L	0.03
Spiked Amount	5.000	Range	70 - 130	Recovery	=	87.000%
43) trans-1,3-Dichloroprop...	8.203	79	13296	3.917	ug/L	0.03
Spiked Amount	5.000	Range	55 - 130	Recovery	=	78.400%
46) 2-Hexanone-d5	8.656	63	46472	45.377	ug/L	0.03
Spiked Amount	50.000	Range	45 - 130	Recovery	=	90.760%
56) 1,1,2,2-Tetrachloroeth...	10.753	84	26868	4.477	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	89.600%
66) 1,2-Dichlorobenzene-d4	12.187	152	44102	5.054	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	101.000%
Target Compounds						
5) Vinyl chloride	1.644	62	8548	1.194	ug/L #	70
9) Trichlorofluoromethane	2.139	101	1867	0.150	ug/L	97
22) cis-1,2-Dichloroethene	4.714	96	152903	20.993	ug/L	98
34) Trichloroethene	6.595	95	65573	7.982	ug/L	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU121724\
Data File : VU062419.D
Acq On : 18 Dec 2024 05:09
Operator : MD/SY
Sample : P5309-07
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 49 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0CF8

Quant Time: Dec 18 07:01:26 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR120924WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Dec 18 01:12:26 2024
Response via : Initial Calibration



Abundance Scan 96 (1.599 min): VU062399.D\data.ms (-88)



#5

Vinyl chloride

Concen: 1.194 ug/L

RT: 1.644 min Scan# 11

Delta R.T. 0.045 min

Lab File: VU062419.D

Acq: 18 Dec 2024 05:09

Instrument :

MSVOA_U

ClientSampleId :

C0CF8


Tgt Ion: 62 Resp: 8548

Ion Ratio Lower Upper


62 100

64 49.8 23.1 42.9#


Abundance Scan 110 (1.644 min): VU062419.D\data.ms




Abundance



Abundance Scan 110 (1.644 min): VU062419.D\data.ms (-3)



Abundance Scan 262 (2.132 min): VU062399.D\data.ms (-25)



#9

Trichlorofluoromethane

Concen: 0.150 ug/L

RT: 2.139 min Scan# 264

Delta R.T. 0.006 min

Lab File: VU062419.D

Acq: 18 Dec 2024 05:09


Tgt Ion: 101 Resp: 1867

Ion Ratio Lower Upper


101 100

103 65.4 50.6 75.8


Abundance Scan 264 (2.139 min): VU062419.D\data.ms




Abundance



Abundance Scan 264 (2.139 min): VU062419.D\data.ms (-16)









#22
 cis-1,2-Dichloroethene
 Concen: 20.993 ug/L
 RT: 4.714 min Scan# 1065
 Delta R.T. 0.061 min
 Lab File: VU062419.D
 Acq: 18 Dec 2024 05:09

Instrument :
 MSVOA_U
 ClientSampleId :
 C0CF8

Tgt Ion:	96	Resp:	152903
Ion	Ratio	Lower	Upper
96	100		
61	130.7	92.0	170.8
98	66.4	44.5	82.7



#34
 Trichloroethene
 Concen: 7.982 ug/L
 RT: 6.595 min Scan# 1650
 Delta R.T. 0.061 min
 Lab File: VU062419.D
 Acq: 18 Dec 2024 05:09

Tgt Ion:	95	Resp:	65573
Ion	Ratio	Lower	Upper
95	100		
97	63.6	45.9	85.3
132	98.6	63.8	118.4
130	103.6	65.5	121.7

