

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU121818\
 Data File : VU028779.D
 Acq On : 18 Dec 2018 18:59
 Operator : MD/SY
 Sample : J6422-16
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK01

Quant Time: Dec 19 01:46:08 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM120718WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Dec 19 00:38:48 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	179296	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	166979	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	69889	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	81607	48.74	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	97.48%
7) Chloroethane-d5	1.67	69	61877	49.30	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	98.60%
11) 1,1-Dichloroethene-d2	2.27	63	102537	34.73	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.46%
21) 2-Butanone-d5	4.17	46	121247	90.16	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	90.16%
24) Chloroform-d	4.65	84	123368	46.55	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.10%
26) 1,2-Dichloroethane-d4	5.30	65	78835	45.12	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.24%
32) Benzene-d6	5.34	84	275039	52.68	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	105.36%
36) 1,2-Dichloropropane-d6	6.33	67	94541	50.42	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	100.84%
41) Toluene-d8	7.56	98	243239	51.09	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.18%
43) trans-1,3-Dichloropropene-	7.85	79	40381	47.09	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	94.18%
47) 2-Hexanone-d5	8.31	63	94525	104.10	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	104.10%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	123570	50.73	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	101.46%
64) 1,2-Dichlorobenzene-d4	11.86	152	82206	57.97	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	115.94%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU121818\
Data File : VU028779.D
Acq On : 18 Dec 2018 18:59
Operator : MD/SY
Sample : J6422-16
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK01

Quant Time: Dec 19 01:46:08 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM120718WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Dec 19 00:38:48 2018
Response via : Initial Calibration

