

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\U121819\
 Data File : VU036265.D
 Acq On : 18 Dec 2019 11:57
 Operator : JC/MD
 Sample : VU1218WBL01
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK03

Quant Time: Dec 19 00:57:39 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121319WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Dec 19 00:50:55 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	255479	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	281696	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	110193	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	136538	6.07	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	121.40%
7) Chloroethane-d5	1.93	69	117240	5.81	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	116.20%
11) 1,1-Dichloroethene-d2	2.59	63	134397	4.14	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	82.80%
20) 2-Butanone-d5	4.69	46	200790	47.64	ug/L	0.02
Spiked Amount	50.000	Range	40 - 130	Recovery	=	95.28%
24) Chloroform-d	5.11	84	181189	5.01	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	100.20%
26) 1,2-Dichloroethane-d4	5.75	65	96407	5.08	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	101.60%
32) Benzene-d6	5.77	84	346016	4.89	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	97.80%
36) 1,2-Dichloropropane-d6	6.73	67	107982	4.84	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	96.80%
41) Toluene-d8	7.93	98	276249	4.15	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	83.00%
43) trans-1,3-Dichloropropene-	8.21	79	41245	4.49	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	89.80%
46) 2-Hexanone-d5	8.67	63	159220	45.36	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	90.72%
57) 1,1,2,2-Tetrachloroethane-	10.78	84	93474	4.58	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	91.60%
64) 1,2-Dichlorobenzene-d4	12.22	152	106599	5.05	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	101.00%

Target Compounds				Ovalue
13) Acetone	2.68	43	8170	2.224 ug/L 88
16) Methylene chloride	3.09	84	14874	0.534 ug/L 96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU121819\
Data File : VU036265.D
Acq On : 18 Dec 2019 11:57
Operator : JC/MD
Sample : VU1218WBL01
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK03

Quant Time: Dec 19 00:57:39 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121319WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Dec 19 00:50:55 2019
Response via : Initial Calibration

