

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\U121819\
 Data File : VU036275.D
 Acq On : 18 Dec 2019 16:11
 Operator : JC/MD
 Sample : K6281-07
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFRB9

Quant Time: Dec 19 02:52:03 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121319WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Dec 19 00:50:55 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.29	114	244009	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.45	117	264384	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.84	152	100324	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	124172	5.78	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	115.60%
7) Chloroethane-d5	1.93	69	106814	5.55	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	111.00%
11) 1,1-Dichloroethene-d2	2.59	63	122872	3.96	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	79.20%
20) 2-Butanone-d5	4.69	46	178974	44.46	ug/L	0.02
Spiked Amount	50.000	Range	40 - 130	Recovery	=	88.92%
24) Chloroform-d	5.11	84	168443	4.87	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	97.40%
26) 1,2-Dichloroethane-d4	5.75	65	87327	4.81	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	96.20%
32) Benzene-d6	5.77	84	317829	4.78	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	95.60%
36) 1,2-Dichloropropane-d6	6.73	67	98936	4.73	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	94.60%
41) Toluene-d8	7.93	98	248921	3.98	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	79.60%
43) trans-1,3-Dichloropropene-	8.21	79	36747	4.27	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	85.40%
46) 2-Hexanone-d5	8.67	63	138373	42.00	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	84.00%
57) 1,1,2,2-Tetrachloroethane-	10.78	84	86451	4.52	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	90.40%
64) 1,2-Dichlorobenzene-d4	12.22	152	94861	4.94	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	98.80%

Target Compounds					Ovalue
13) Acetone	2.68	43	9709	2.767 ug/L	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU121819\
Data File : VU036275.D
Acq On : 18 Dec 2019 16:11
Operator : JC/MD
Sample : K6281-07
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BFRB9

Quant Time: Dec 19 02:52:03 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121319WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Dec 19 00:50:55 2019
Response via : Initial Calibration

