

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU121820\
 Data File : VU041675.D
 Acq On : 18 Dec 2020 13:27
 Operator : SY/MD
 Sample : L5129-02
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AL7

Quant Time: Dec 19 08:44:40 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat Dec 19 04:12:21 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	117726	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	111913	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	51795	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	32579	3.54	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	70.80%
7) Chloroethane-d5	1.92	69	30621	4.30	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	86.00%
11) 1,1-Dichloroethene-d2	2.58	63	49318	2.91	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	58.20%#
20) 2-Butanone-d5	4.66	46	132748	50.21	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	100.42%
24) Chloroform-d	5.08	84	70054	4.44	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	88.80%
26) 1,2-Dichloroethane-d4	5.72	65	42535	4.76	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	95.20%
32) Benzene-d6	5.74	84	144581	4.51	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	90.20%
36) 1,2-Dichloropropane-d6	6.70	67	44328	4.41	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	88.20%
41) Toluene-d8	7.90	98	115754	4.00	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	80.00%
43) trans-1,3-Dichloropropene-	8.19	79	18714	4.14	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	82.80%
46) 2-Hexanone-d5	8.64	63	119390	48.34	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	96.68%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	42706	4.68	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	93.60%
64) 1,2-Dichlorobenzene-d4	12.19	152	46793	5.08	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	101.60%


Target Compounds					Ovalue
3) Chloromethane	1.53	50	799	0.082 ug/L	91


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU121820\
Data File : VU041675.D
Acq On : 18 Dec 2020 13:27
Operator : SY/MD
Sample : L5129-02
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AL7

Quant Time: Dec 19 08:44:40 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Dec 19 04:12:21 2020
Response via : Initial Calibration





#3

Chloromethane

Concen: 0.082 ug/L

RT: 1.53 min Scan# 58

Delta R.T. 0.00 min

Lab File: VU041675.D

Acq: 18 Dec 2020 13:27

Instrument :
MSVOA_U
ClientSampleId :
C0AL7

Tot Ion: 50 Resp: 799

Ion Ratio Lower Upper

50 100

52 39.5 24.1 44.8

