

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\U121820\
 Data File : VU041679.D
 Acq On : 18 Dec 2020 15:01
 Operator : SY/MD
 Sample : L5143-04
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK01

Quant Time: Dec 19 08:49:01 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat Dec 19 04:12:21 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	118797	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	119088	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	54652	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	36585	3.94	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	78.80%
7) Chloroethane-d5	1.92	69	33996	4.73	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	94.60%
11) 1,1-Dichloroethene-d2	2.58	63	55282	3.23	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	64.60%
20) 2-Butanone-d5	4.67	46	144761	54.26	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	108.52%
24) Chloroform-d	5.08	84	75164	4.72	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.40%
26) 1,2-Dichloroethane-d4	5.72	65	45297	5.02	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	100.40%
32) Benzene-d6	5.74	84	148032	4.34	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	86.80%
36) 1,2-Dichloropropane-d6	6.70	67	51977	4.86	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	97.20%
41) Toluene-d8	7.90	98	137768	4.48	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	89.60%
43) trans-1,3-Dichloropropene-	8.19	79	20926	4.35	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	87.00%
46) 2-Hexanone-d5	8.64	63	138155	52.57	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	105.14%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	50602	5.21	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	104.20%
64) 1,2-Dichlorobenzene-d4	12.19	152	53271	5.48	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	109.60%


Target Compounds					Ovalue
16) Methylene chloride	3.06	84	3724	0.387 ug/L	97




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU121820\
Data File : VU041679.D
Acq On : 18 Dec 2020 15:01
Operator : SY/MD
Sample : L5143-04
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK01

Quant Time: Dec 19 08:49:01 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR121220WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Dec 19 04:12:21 2020
Response via : Initial Calibration





#16
Methylene chloride
Concen: 0.387 ug/L
RT: 3.06 min Scan# 535
Delta R.T. 0.00 min
Lab File: VU041679.D
Acq: 18 Dec 2020 15:01

Instrument :
MSVOA_U
ClientSampleId :
VHBLK01

Tot Ion: 84 Resp: 3724
Ion Ratio Lower Upper
84 100
86 66.7 45.1 83.7
49 116.1 83.1 154.3

