

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU121823\
 Data File : VU057029.D
 Acq On : 19 Dec 2023 06:33
 Operator : MD/SY
 Sample : 05843-10
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 48 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F7C76

Quant Time: Dec 19 06:48:46 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR121123WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Tue Dec 19 02:36:03 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	248229	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	215723	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	93165	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	84925	3.991	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	79.800%
7) Chloroethane-d5	1.908	69	65358	4.105	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	82.000%
11) 1,1-Dichloroethene-d2	2.560	65	38354	4.213	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	84.200%
20) 2-Butanone-d5	4.618	46	160826	38.274	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	76.540%
24) Chloroform-d	5.055	84	171061	4.246	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	85.000%
26) 1,2-Dichloroethane-d4	5.695	65	78294	4.106	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	82.200%
32) Benzene-d6	5.721	84	326068	4.873	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	97.400%
36) 1,2-Dichloropropane-d6	6.682	67	102687	4.903	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	98.000%
41) Toluene-d8	7.894	98	223595	3.739	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	74.800%
43) trans-1,3-Dichloroprop...	8.177	79	29622	3.647	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	73.000%
46) 2-Hexanone-d5	8.631	63	111272	36.325	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	72.660%
56) 1,1,2,2-Tetrachloroeth...	10.750	84	62274	4.110	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	82.200%
66) 1,2-Dichlorobenzene-d4	12.190	152	78456	4.284	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	85.600%
Target Compounds						Qvalue
47) Tetrachloroethene	8.547	164	236544	16.252	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU121823\
Data File : VU057029.D
Acq On : 19 Dec 2023 06:33
Operator : MD/SY
Sample : 05843-10
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 48 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F7C76

Quant Time: Dec 19 06:48:46 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR121123WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Tue Dec 19 02:36:03 2023
Response via : Initial Calibration

