

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU121823\
 Data File : VU057002.D
 Acq On : 18 Dec 2023 18:46
 Operator : MD/SY
 Sample : 05811-12
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F7B13

Quant Time: Dec 19 01:43:15 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR121123WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Tue Dec 19 01:20:32 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	239305	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	246235	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	102263	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	90832	4.428	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	88.600%
7) Chloroethane-d5	1.904	69	73893	4.814	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	96.200%
11) 1,1-Dichloroethene-d2	2.560	65	39887	4.545	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	90.800%
20) 2-Butanone-d5	4.612	46	167592	41.372	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	82.740%
24) Chloroform-d	5.055	84	179708	4.626	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	92.600%
26) 1,2-Dichloroethane-d4	5.695	65	85389	4.646	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	93.000%
32) Benzene-d6	5.721	84	335769	4.396	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	88.000%
36) 1,2-Dichloropropane-d6	6.682	67	104592	4.375	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	87.600%
41) Toluene-d8	7.894	98	280612	4.111	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	82.200%
43) trans-1,3-Dichloroprop...	8.174	79	38702	4.175	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	83.400%
46) 2-Hexanone-d5	8.627	63	133130	38.076	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	76.160%
56) 1,1,2,2-Tetrachloroeth...	10.750	84	73475	4.248	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	85.000%
66) 1,2-Dichlorobenzene-d4	12.187	152	95943	4.773	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	95.400%
Target Compounds						
					Qvalue	
13) Acetone	2.618	43	19026	7.707	ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU121823\
Data File : VU057002.D
Acq On : 18 Dec 2023 18:46
Operator : MD/SY
Sample : 05811-12
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F7B13

Quant Time: Dec 19 01:43:15 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR121123WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Tue Dec 19 01:20:32 2023
Response via : Initial Calibration





#13
 Acetone
 Concen: 7.707 ug/L
 RT: 2.618 min Scan# 41
 Delta R.T. -0.013 min
 Lab File: VU057002.D
 Acq: 18 Dec 2023 18:46

Instrument :
 MSVOA_U
 ClientSampleId :
 F7B13

Tgt Ion: 43 Resp: 19026
 Ion Ratio Lower Upper
 43 100
 58 33.8 0.0 72.6

