

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU121918\
 Data File : VU028798.D
 Acq On : 19 Dec 2018 16:57
 Operator : MD/SY
 Sample : J6449-01
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 MW-5A_R1

Quant Time: Dec 20 06:30:29 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U120618W.M
 Quant Title : SW846 8260
 QLast Update : Fri Dec 07 00:39:42 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	4.98	168	122208	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	5.88	114	208216	50.00	ug/l	0.00
63) Chlorobenzene-d5	9.09	117	185741	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	11.48	152	72387	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	5.31	65	80657	43.25	ug/l	0.00
Spiked Amount	50.000		Recovery	=	86.50%	
35) Dibromofluoromethane	4.88	113	68550	52.32	ug/l	0.00
Spiked Amount	50.000		Recovery	=	104.64%	
50) Toluene-d8	7.56	98	260219	50.20	ug/l	0.00
Spiked Amount	50.000		Recovery	=	100.40%	
62) 4-Bromofluorobenzene	10.30	95	82270	42.46	ug/l	0.00
Spiked Amount	50.000		Recovery	=	84.92%	


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU121918\
Data File : VU028798.D
Acq On : 19 Dec 2018 16:57
Operator : MD/SY
Sample : J6449-01
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
MW-5A_R1

Quant Time: Dec 20 06:30:29 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\82U120618W.M
Quant Title : SW846 8260
QLast Update : Fri Dec 07 00:39:42 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 4.98 min Scan# 1185

Delta R.T. -0.00 min

Lab File: VU028798.D

Acq: 19 Dec 2018 16:57

Instrument :

MSVOA_U

ClientSampleId :


MW-5A_R1

Tot Ion:168 Resp: 122208

Ion Ratio Lower Upper

168 100

99 51.2 46.6 69.8



Abundance Ion 167.90 (167.60 to 168.60): VU028495.D (-1168) (-)

Ion 98.90 (98.60 to 99.60): VU028495.D (-1168) (-)

4.98

60000

50000

40000

30000



20000

10000

0

4.90 5.00 5.10

Time-->



#33

1,2-Dichloroethane-d4

Concen: 43.248 ug/l

RT: 5.31 min Scan# 1286

Delta R.T. -0.00 min

Lab File: VU028798.D


Acq: 19 Dec 2018 16:57

Tgt Ion: 65 Resp: 80657

Ion Ratio Lower Upper

65 100

67 56.3 0.0 110.6



Abundance Ion 64.90 (64.60 to 65.60): VU028495.D (-1271) (-)

Ion 66.90 (66.60 to 67.60): VU028495.D (-1271) (-)

5.31

40000

30000


20000

10000

0

5.20 5.30 5.40

Time-->









#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 5.88 min Scan# 1465
Delta R.T. -0.00 min
Lab File: VU028798.D
Acq: 19 Dec 2018 16:57

Instrument :
MSVOA_U
ClientSampleId :
MW-5A_R1

Tot Ion	Ratio	Lower	Upper
114	100		
63	21.6	0.0	49.2
88	15.8	0.0	33.4




Abundance Ion 113.90 (113.60 to 114.60): V
Ion 63.00 (62.70 to 63.70): VU0
Ion 87.90 (87.60 to 88.60): VU0






#35
Dibromofluoromethane
Concen: 52.316 ug/l
RT: 4.88 min Scan# 1153
Delta R.T. -0.00 min
Lab File: VU028798.D
Acq: 19 Dec 2018 16:57

Tgt Ion	Ratio	Lower	Upper
113	100		
111	101.5	83.4	125.0
192	21.4	14.8	22.2



Abundance Ion 112.80 (112.50 to 113.50): V
Ion 110.80 (110.50 to 111.50): V
Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 50.203 ug/l

RT: 7.56 min Scan# 1987

Delta R.T. -0.00 min

Lab File: VU028798.D

Acq: 19 Dec 2018 16:57

Instrument :

MSVOA_U

ClientSampleId :


MW-5A_R1

Tot Ion: 98 Resp: 260219




Ion Ratio Lower Upper

98 100

100 64.6 51.0 76.6



Abundance Ion 98.00 (97.70 to 98.70): VU028495.D (-1973) (-)



#62

4-Bromofluorobenzene

Concen: 42.465 ug/l

RT: 10.30 min Scan# 2840

Delta R.T. -0.00 min

Lab File: VU028798.D

Acq: 19 Dec 2018 16:57


Tgt Ion: 95 Resp: 82270

Ion Ratio Lower Upper



95 100


174 82.6 0.0 150.4

176 79.2 0.0 145.2



Abundance Ion 94.90 (94.60 to 95.60): VU028495.D (-2828) (-)









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 9.09 min Scan# 2462
Delta R.T. -0.00 min
Lab File: VU028798.D
Acq: 19 Dec 2018 16:57

Instrument :
MSVOA_U
ClientSampleId :
MW-5A_R1

Tot Ion:117 Resp: 185741
Ion Ratio Lower Upper
117 100
82 56.9 48.9 73.3
119 32.6 26.2 39.4




Abundance Ion 116.90 (116.60 to 117.60): V
150000 Ion 82.00 (81.70 to 82.70): VU0
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 11.48 min Scan# 3206
Delta R.T. -0.00 min
Lab File: VU028798.D
Acq: 19 Dec 2018 16:57

Tgt Ion:152 Resp: 72387
Ion Ratio Lower Upper
152 100
115 57.8 42.7 128.1
150 158.0 0.0 346.0



Abundance Ion 151.90 (151.60 to 152.60): V
100000 Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

