

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU121923\
 Data File : VU057057.D
 Acq On : 19 Dec 2023 20:48
 Operator : MD/SY
 Sample : VU1219WBL03
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :

Quant Time: Dec 20 06:36:24 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR121123WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Dec 20 06:35:40 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	197534	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	202264	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	84840	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	75568	4.463	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	89.200%
7) Chloroethane-d5	1.907	69	57132	4.509	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	90.200%
11) 1,1-Dichloroethene-d2	2.563	65	33500	4.624	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	92.400%
20) 2-Butanone-d5	4.621	46	132066	39.496	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	79.000%
24) Chloroform-d	5.055	84	143826	4.486	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	89.800%
26) 1,2-Dichloroethane-d4	5.695	65	71493	4.712	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	94.200%
32) Benzene-d6	5.721	84	268913	4.286	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	85.800%
36) 1,2-Dichloropropane-d6	6.685	67	80892	4.120	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	82.400%
41) Toluene-d8	7.894	98	224006	3.995	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	79.800%
43) trans-1,3-Dichloroprop...	8.177	79	28872	3.791	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	75.800%
46) 2-Hexanone-d5	8.631	63	104698	36.454	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	72.900%
56) 1,1,2,2-Tetrachloroeth...	10.750	84	57657	4.058	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	81.200%
66) 1,2-Dichlorobenzene-d4	12.190	152	74549	4.470	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	89.400%
Target Compounds						Qvalue
35) Methylcyclohexane	6.682	83	20221	0.703	ug/L #	17
37) 1,2-Dichloropropane	6.682	63	9206	0.506	ug/L #	88


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU121923\
Data File : VU057057.D
Acq On : 19 Dec 2023 20:48
Operator : MD/SY
Sample : VU1219WBL03
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 29 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :

Quant Time: Dec 20 06:36:24 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR121123WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Dec 20 06:35:40 2023
Response via : Initial Calibration





#35

Methylcyclohexane

Concen: 0.703 ug/L

RT: 6.682 min Scan# 1677

Delta R.T. -0.077 min

Lab File: VU057057.D





Acq: 19 Dec 2023 20:48

Instrument :

MSVOA_U

ClientSampleId :

Tgt Ion: 83	Resp: 20221
Ion Ratio	Lower Upper
83 100	
55 0.5	64.6 97.0#
98 0.3	36.1 54.1#



#37

1,2-Dichloropropane

Concen: 0.506 ug/L

RT: 6.682 min Scan# 1677

Delta R.T. -0.099 min

Lab File: VU057057.D

Acq: 19 Dec 2023 20:48

Tgt Ion: 63	Resp: 9206
Ion Ratio	Lower Upper
63 100	
112 0.0	3.3 4.9#

