

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU121923\
 Data File : VU057063.D
 Acq On : 19 Dec 2023 23:13
 Operator : MD/SY
 Sample : 05865-06
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F7C47

Quant Time: Dec 20 06:56:05 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR121123WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Dec 20 06:35:40 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	202993	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	206170	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	90842	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	69496	3.994	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	79.800%
7) Chloroethane-d5	1.907	69	54697	4.201	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	84.000%
11) 1,1-Dichloroethene-d2	2.563	65	30500	4.097	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	82.000%
20) 2-Butanone-d5	4.618	46	125200	36.435	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	72.880%
24) Chloroform-d	5.055	84	144298	4.379	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	87.600%
26) 1,2-Dichloroethane-d4	5.695	65	70916	4.548	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	91.000%
32) Benzene-d6	5.721	84	259129	4.052	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	81.000%
36) 1,2-Dichloropropane-d6	6.685	67	78916	3.943	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	78.800%
41) Toluene-d8	7.894	98	221243	3.871	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	77.400%
43) trans-1,3-Dichloroprop...	8.174	79	30496	3.929	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	78.600%
46) 2-Hexanone-d5	8.631	63	104723	35.772	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	71.540%
56) 1,1,2,2-Tetrachloroeth...	10.749	84	60137	4.153	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	83.000%
66) 1,2-Dichlorobenzene-d4	12.187	152	75273	4.215	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	84.400%
Target Compounds						
9) Trichlorofluoromethane	2.136	101	5957	0.204	ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU121923\
Data File : VU057063.D
Acq On : 19 Dec 2023 23:13
Operator : MD/SY
Sample : 05865-06
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 35 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F7C47

Quant Time: Dec 20 06:56:05 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR121123WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Dec 20 06:35:40 2023
Response via : Initial Calibration





#9
 Trichlorofluoromethane
 Concen: 0.204 ug/L
 RT: 2.136 min Scan# 20
 Delta R.T. 0.000 min
 Lab File: VU057063.D
 Acq: 19 Dec 2023 23:13

Instrument :
 MSVOA_U
 ClientSampleId :
 F7C47

Tgt Ion:101 Resp: 5957
 Ion Ratio Lower Upper
 101 100
 103 61.0 51.4 77.2

