

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU122018\
 Data File : VU028820.D
 Acq On : 20 Dec 2018 13:29
 Operator : MD/SY
 Sample : J6487-07
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK02

Quant Time: Dec 21 04:14:23 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM122018WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Dec 21 03:50:07 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	190443	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	179861	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	73761	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	80398	52.66	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	105.32%
7) Chloroethane-d5	1.67	69	62463	52.97	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	105.94%
11) 1,1-Dichloroethene-d2	2.27	63	103315	40.24	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	80.48%
21) 2-Butanone-d5	4.17	46	116913	109.30	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	109.30%
24) Chloroform-d	4.65	84	123620	51.49	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.98%
26) 1,2-Dichloroethane-d4	5.31	65	78238	52.87	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	105.74%
32) Benzene-d6	5.34	84	275226	54.16	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	108.32%
36) 1,2-Dichloropropane-d6	6.33	67	95339	55.23	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	110.46%
41) Toluene-d8	7.57	98	245044	53.22	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	106.44%
43) trans-1,3-Dichloropropene-	7.85	79	40926	52.91	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	105.82%
47) 2-Hexanone-d5	8.31	63	90999	110.99	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	110.99%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	124910	52.16	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	104.32%
64) 1,2-Dichlorobenzene-d4	11.86	152	82563	55.34	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	110.68%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU122018\
Data File : VU028820.D
Acq On : 20 Dec 2018 13:29
Operator : MD/SY
Sample : J6487-07
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK02

Quant Time: Dec 21 04:14:23 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM122018WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Dec 21 03:50:07 2018
Response via : Initial Calibration

