

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU122018\
 Data File : VU028837.D
 Acq On : 20 Dec 2018 20:19
 Operator : MD/SY
 Sample : J6506-08
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BF031

Quant Time: Dec 21 06:14:48 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM122018WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Dec 21 05:57:29 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	207883	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	190099	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	79806	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	67829	40.70	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	81.40%
7) Chloroethane-d5	1.67	69	55916	43.44	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	86.88%
11) 1,1-Dichloroethene-d2	2.27	63	88941	31.73	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	63.46%
21) 2-Butanone-d5	4.17	46	119008	101.92	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	101.92%
24) Chloroform-d	4.65	84	116271	44.37	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.74%
26) 1,2-Dichloroethane-d4	5.31	65	74278	45.98	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.96%
32) Benzene-d6	5.34	84	255492	47.57	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.14%
36) 1,2-Dichloropropane-d6	6.33	67	90401	49.55	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.10%
41) Toluene-d8	7.56	98	223868	46.00	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.00%
43) trans-1,3-Dichloropropene-	7.85	79	38472	47.06	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	94.12%
47) 2-Hexanone-d5	8.31	63	93585	108.00	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	108.00%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	122279	48.31	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	96.62%
64) 1,2-Dichlorobenzene-d4	11.86	152	80727	50.01	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.02%


Target Compounds					Qvalue
13) Acetone	2.32	43	6070	5.101 ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU122018\
Data File : VU028837.D
Acq On : 20 Dec 2018 20:19
Operator : MD/SY
Sample : J6506-08
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 29 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BF031

Quant Time: Dec 21 06:14:48 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM122018WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Dec 21 05:57:29 2018
Response via : Initial Calibration





#13
 Acetone
 Concen: 5.101 ug/L
 RT: 2.32 min Scan# 357
 Delta R.T. 0.00 min
 Lab File: VU028837.D
 Acq: 20 Dec 2018 20:19

Instrument :
 MSVOA_U
 ClientSampleId :
 BF031

Tgt Ion: 43 Resp: 6070
 Ion Ratio Lower Upper
 43 100
 58 31.9 0.0 70.2

