

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU122018\
 Data File : VU028840.D
 Acq On : 20 Dec 2018 21:31
 Operator : MD/SY
 Sample : J6507-09
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BF048

Quant Time: Dec 21 06:24:57 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM122018WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Dec 21 05:57:29 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	196629	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	181364	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	75226	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	65993	41.86	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	83.72%
7) Chloroethane-d5	1.67	69	54045	44.39	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	88.78%
11) 1,1-Dichloroethene-d2	2.27	63	85523	32.26	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	64.52%
21) 2-Butanone-d5	4.18	46	115133	104.25	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	104.25%
24) Chloroform-d	4.65	84	113847	45.93	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.86%
26) 1,2-Dichloroethane-d4	5.31	65	72687	47.57	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.14%
32) Benzene-d6	5.34	84	245422	47.90	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.80%
36) 1,2-Dichloropropane-d6	6.33	67	86391	49.63	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.26%
41) Toluene-d8	7.56	98	215773	46.47	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.94%
43) trans-1,3-Dichloropropene-	7.85	79	36201	46.41	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.82%
47) 2-Hexanone-d5	8.31	63	87854	106.27	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	106.27%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	119047	49.30	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	98.60%
64) 1,2-Dichlorobenzene-d4	11.86	152	75986	49.94	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.88%


Target Compounds					Qvalue
13) Acetone	2.32	43	7149	6.352 ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU122018\
Data File : VU028840.D
Acq On : 20 Dec 2018 21:31
Operator : MD/SY
Sample : J6507-09
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 32 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BF048

Quant Time: Dec 21 06:24:57 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM122018WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Dec 21 05:57:29 2018
Response via : Initial Calibration





#13
 Acetone
 Concen: 6.352 ug/L
 RT: 2.32 min Scan# 357
 Delta R.T. 0.00 min
 Lab File: VU028840.D
 Acq: 20 Dec 2018 21:31

Instrument :
 MSVOA_U
 ClientSampleId :
 BF048

Tgt Ion: 43 Resp: 7149
 Ion Ratio Lower Upper
 43 100
 58 36.5 0.0 70.2

