

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU122018\
 Data File : VU028846.D
 Acq On : 20 Dec 2018 23:56
 Operator : MD/SY
 Sample : J6513-02
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 38 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F9F53

Quant Time: Dec 21 07:04:34 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM122018WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Dec 21 05:57:29 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	194745	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	182454	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	77228	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	64520	41.33	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	82.66%
7) Chloroethane-d5	1.67	69	53020	43.97	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	87.94%
11) 1,1-Dichloroethene-d2	2.27	63	84461	32.17	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	64.34%
21) 2-Butanone-d5	4.18	46	115590	105.67	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	105.67%
24) Chloroform-d	4.65	84	111933	45.59	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.18%
26) 1,2-Dichloroethane-d4	5.31	65	71157	47.02	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.04%
32) Benzene-d6	5.34	84	241822	46.91	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.82%
36) 1,2-Dichloropropane-d6	6.33	67	84505	48.26	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	96.52%
41) Toluene-d8	7.56	98	213780	45.77	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	91.54%
43) trans-1,3-Dichloropropene-	7.85	79	36168	46.10	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.20%
47) 2-Hexanone-d5	8.31	63	91649	110.20	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	110.20%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	119216	49.07	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	98.14%
64) 1,2-Dichlorobenzene-d4	11.86	152	78253	50.10	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.20%


Target Compounds					Qvalue
13) Acetone	2.32	43	2607	2.339 ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU122018\
Data File : VU028846.D
Acq On : 20 Dec 2018 23:56
Operator : MD/SY
Sample : J6513-02
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 38 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F9F53

Quant Time: Dec 21 07:04:34 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM122018WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Dec 21 05:57:29 2018
Response via : Initial Calibration





#13
 Acetone
 Concen: 2.339 ug/L
 RT: 2.32 min Scan# 357
 Delta R.T. 0.00 min
 Lab File: VU028846.D
 Acq: 20 Dec 2018 23:56

Instrument :
 MSVOA_U
 ClientSampleId :
 F9F53

Tgt Ion: 43 Resp: 2607
 Ion Ratio Lower Upper
 43 100
 58 30.9 0.0 70.2

