

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU122118\
 Data File : VU028874.D
 Acq On : 21 Dec 2018 15:23
 Operator : MD/SY
 Sample : J6468-21DL 20X
 Misc : 6.27g/5mL/100uL/5.0mL/MSVOA_U/MEOH
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0JH9DL

Quant Time: Dec 22 01:21:49 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM122018WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Dec 21 23:27:40 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	186197	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	179108	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	79282	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	53869	36.09	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	72.18%
7) Chloroethane-d5	1.66	69	44581	38.67	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	77.34%
11) 1,1-Dichloroethene-d2	2.26	63	71275	28.39	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	56.78%#
21) 2-Butanone-d5	4.18	46	110160	105.33	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	105.33%
24) Chloroform-d	4.64	84	100572	42.85	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	85.70%
26) 1,2-Dichloroethane-d4	5.31	65	64958	44.89	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.78%
32) Benzene-d6	5.34	84	216281	42.74	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	85.48%
36) 1,2-Dichloropropane-d6	6.33	67	77512	45.09	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	90.18%
41) Toluene-d8	7.56	98	189344	41.29	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	82.58%
43) trans-1,3-Dichloropropene-	7.85	79	32690	42.44	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	84.88%
47) 2-Hexanone-d5	8.31	63	86338	105.75	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	105.75%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	110098	46.17	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	92.34%
64) 1,2-Dichlorobenzene-d4	11.86	152	72456	45.19	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.38%

Target Compounds

					Ovalue
42) Toluene	7.64	91	10795	1.868 ug/L	95
52) Ethylbenzene	9.25	91	225143	36.250 ug/L	97
53) m,p-Xylene	9.37	106	337005	146.734 ug/L	98
54) o-xylene	9.78	106	132020	57.353 ug/L	99
56) Isopropylbenzene	10.17	105	4633	0.793 ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU122118\
Data File : VU028874.D
Acq On : 21 Dec 2018 15:23
Operator : MD/SY
Sample : J6468-21DL 20X
Misc : 6.27g/5mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0JH9DL

Quant Time: Dec 22 01:21:49 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM122018WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Dec 21 23:27:40 2018
Response via : Initial Calibration

