

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\U122118\
 Data File : VU028893.D
 Acq On : 21 Dec 2018 23:05
 Operator : MD/SY
 Sample : J6509-08
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 ETO89

Quant Time: Dec 22 03:32:55 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM122018WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Dec 22 01:55:05 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	171656	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	161678	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	65694	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	60599	44.04	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	88.08%
7) Chloroethane-d5	1.66	69	48230	45.37	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	90.74%
11) 1,1-Dichloroethene-d2	2.26	63	78984	34.13	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	68.26%
21) 2-Butanone-d5	4.18	46	106491	110.45	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	110.45%
24) Chloroform-d	4.64	84	105060	48.55	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.10%
26) 1,2-Dichloroethane-d4	5.31	65	67033	50.25	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.50%
32) Benzene-d6	5.34	84	230195	50.40	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.80%
36) 1,2-Dichloropropane-d6	6.33	67	80063	51.60	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	103.20%
41) Toluene-d8	7.56	98	199816	48.27	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.54%
43) trans-1,3-Dichloropropene-	7.85	79	33251	47.82	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	95.64%
47) 2-Hexanone-d5	8.31	63	82515	111.96	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	111.96%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	109436	50.84	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	101.68%
64) 1,2-Dichlorobenzene-d4	11.86	152	70027	52.70	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	105.40%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU122118\
Data File : VU028893.D
Acq On : 21 Dec 2018 23:05
Operator : MD/SY
Sample : J6509-08
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 35 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
ETO89

Quant Time: Dec 22 03:32:55 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM122018WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Dec 22 01:55:05 2018
Response via : Initial Calibration

